

Rittal – The System.

Faster – better – everywhere.

► Rail for interior installation for AE – AE 2383.210

Date : Apr 16, 2021

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



Rail for interior installation for AE – AE 2383.210

created: 16.04.2021 build on www.rittal.com/nz-en



Product description

Description: For mounting in the enclosure, no machining required. Suitable for all-round mounting on the sides, base and roof areas. Variable with 2 rows of system punchings, creates additional mounting space e.g. for: TS punched section, enclosure lights, door-operated switch, door stay, cable conduit holder

Material: Sheet steel

Surface finish: Zinc-plated

Note: Other mounting options: Mounting plates, locatable, TS 8612.400
Mounting plates, screw-fastening, large, TS 8612.410
Mounting plates, screw-fastening, small, PS 4532.000
Mounting bracket, PS 4597.000

Product description

To fit: Enclosure type: AE
Depth: = 210 mm

Packs of: 4 pc(s).

Weight/pack: 0.7 kg

Copper weight (kg per piece): 0

EAN: 4028177687417

Customs tariff number: 83024900

ETIM 7.0: EC002625

ETIM 6.0: EC002625

eCl@ss 8.0/8.1: 27189234

eCl@ss 6.0/6.1: 23159101

Product description: AE Rail for interior installation, for AE, for D: 210 mm

Approvals

Certificates: NA
