

Crimping tool RJ45 Stewart



Product features

- Crimping tool for RJ45 connector CAT.5 Stewart SS37
- Crimping tool for RJ plug 4, 6, 6-DEC and 8-pin

Technical data

	Classification ETIM 5/6
	ETIM 5.0/6.0 Class-ID: EC000385 ETIM 5.0/6.0 Class-Description: Special tool for telecommunication technique

Article number	Article designation
Crimping tool RJ45 Stewart	
CE5093	Crimping tool RJ45 Stewart SS37 8-pole
CE5092	Crimping tool RJ 4-, 6-, 6-DEC- and 8-pole

Stewart is a registered trademark of Bel Fuse Inc.

Photographs and graphics are not to scale and do not represent detailed images of the respective products.

Accessories

- Connector RJ45 CAT.5 Stewart SS37 refer to page 472

Frontplate 19" 1HE Cat.6A



Product features

- 19" modular patch panel, for fixed installation
- 24 Ports
- Stable metal structure
- Dimensions: 19" - 1RU
- Colour: grey (RAL 7035)
- Unpopulated
- Incl. cable strain relief and cable ties
- On frontplate portnumbers are printed on
- Potential equalisation with incl. grounding set (0,3 m)



Info

- Specially for RJ45 Cat.6_A female connector

Technical data

	Classification ETIM 5/6
	ETIM 5.0/6.0 Class-ID: EC002601 ETIM 5.0/6.0 Class-Description: Box/ housing for built-in mounting in the wall/ceiling

Article number	Article designation
Frontplate 19" 1HE Cat.6_A	
24441122	Frontplate 19" 1HE Cat.6 _A

Photographs and graphics are not to scale and do not represent detailed images of the respective products.

Accessories

- EPIC® DATA RJ45F Cat.6_A refer to page 460

Punch down tool LSA+



Product features

- LSA+ punch-down tool for setting the individual cores on the data outlets or patch panel.
- Cores are set properly in the terminal strip and cut off at the same time.

Technical data

	Classification ETIM 5/6
	ETIM 5.0/6.0 Class-ID: EC000385 ETIM 5.0/6.0 Class-Description: Special tool for telecommunication technique

Article number	Article designation
Punch down tool LSA+	
CE5076	Punch down tool LSA+

Photographs and graphics are not to scale and do not represent detailed images of the respective products.