





TWIN conductor end sleeves



Benefits

- Special shape of plastic collar enables simultaneous holding of two strand conductors
- Correct crimping of two conductors in a TWIN conductor end sleeve achieves a proper electrical and mechanical connection

Note

- For processing tools see the keyword index "crimping pliers for conductor end sleeves"

Suitable tools

- KEBS 0560 TWIN crimping pliers refer to page 1001

Technical data

	Classification ETIM 5/6 ETIM 5.0/6.0 Class-ID: EC000005 ETIM 5.0/6.0 Class-Description: Cable end sleeve
	Info Halogen-free
	Material Copper/PP Surface: tin-plated
	Temperature range Permanent load -5°C up to +105°C, temporary load +120°C

Article number	Article designation	For mm ²	AWG	Colour	l1 mm	l2 mm	d1 mm	s1 mm	d2 mm	d3 mm	s2 mm	Pieces / PU
TWIN conductor end sleeves												
61801999	AHI-TWIN	2.00 x 0.50	2 x 20	white	15	8	1.5	0.15	2.3	4.5	0.25	500
61802000	AHI-TWIN	2.00 x 0.75	2 x 20	grey	15	8	1.8	0.15	2.6	5.1	0.25	500
61802010	AHI-TWIN	2.00 x 1.00	2 x 18	red	15	8	2.05	0.15	3	5.1	0.3	500
61802020	AHI-TWIN	2.00 x 1.50	2 x 16	black	16	8	2.3	0.15	3.5	6.4	0.3	500
61802030	AHI-TWIN	2.00 x 2.50	2 x 14	blue	18.5	10	2.9	0.2	4	7.5	0.3	500
61802032	AHI-TWIN	2.00 x 4.00	2 x 12	grey	23	12	3.8	0.2	4.9	8.6	0.3	100
61802033	AHI-TWIN	2.00 x 6.00	2 x 10	yellow	25	14	4.6	0.2	5.8	9.6	0.4	100
61802034	AHI-TWIN	2.00 x 10.00	2 x 8	red	26	14	6.5	0.2	7	12.6	0.4	100
61802035	AHI-TWIN	2.00 x 16.00	2 x 6	blue	30	14	8.2	0.2	9.6	18.4	0.4	50

Other sizes and colours are available upon request.
Photographs and graphics are not to scale and do not represent detailed images of the respective products.