

## Data sheet

Commercial Art.No.: 83.040.1256.0

IP switch WIENET UMS 5-C-4G-1SFP-W

Unmanaged switch with 4 gigabit (10/100/1000 Mbit/s) and 1 SFP port, narrow version, wide temperature



Commercial Art.No.	83.040.1256.0
EAN	4049088600968
Order Unit	1

certificates / approvals



## Technical data

### Allgemein

mounting method	DIN rail (top hat rail)
degree of protection (IP)	IP30
housing material	metal
manageable	no
ethernet	yes
power over Ethernet	no
Fast Ethernet	yes
Gigabit Ethernet	yes
number of ports 10/100 Mbps RJ45	0
diagnostic LEDs	power/link status/data/data rate
10 gigabit Ethernet	no
number of ports 10/100/1000 Mbps RJ45	4
number of ports 100 Mbps SC	0
type of electric connection	screw connection
LED status indication	PWR1, PWR2, P-Fail, LNK/ACT
connector cross section	0.25mm <sup>2</sup> ...2.5mm <sup>2</sup> (AWG26...AWG12)
wire strip length	8 mm

### technical data

voltage type	DC
min. operating temperature	-40 °C
max. operation temperature	75 °C
storage temperature / transport min.	-40 °C

storage temperature / transport max.	85 °C
relative humidity min.	10 %
relative humidity max.	95 %
net weight	450 g
redundant power supply	2 power inputs

**supply circuit**

voltage type	DC
operating voltage min.	12 V
operating voltage max.	48 V
input current, max.	1.5 A
power consumption max.	< 2.5 W

**dimensions**

depth	95 mm
width	30 mm
height	140 mm
weight	450 g

**classification**


ECLASS 11	
ECLASS 8.1	19170106
ETIM 9.0	EC000734
ETIM 8.0	EC000734
ETIM 7.0	EC000734
ETIM 6.0	EC000734
ETIM 5.0	EC000734
ETIM 4.0	EC000734

**product compliance**

ROHS conformity status	compliant
REACH-SVHC conformity status	compliant

Weitergabe sowie Vervielfältigung dieses Dokuments, Verwertung und Mitteilung seines Inhalts sind verboten, soweit nicht ausdrücklich gestattet.  
The reproduction, distribution and utilization of this document as well as the communication of its contents to others without express authorization is prohibited.

Qu - PEE 12/92



Weitere Angaben siehe KATALOG oder eKatalog.  
Additional data see CATALOG or eCatalog.

[www.wieland-electric.com](http://www.wieland-electric.com)  
[eshop.wieland-electric.com](http://eshop.wieland-electric.com)

ja/yes  Stoffverbots- und Deklarationsliste nach WN 5020.010 ist einzuhalten.  
Conformity with Wieland document WN 5020.010 e (list of prohibited / declarable hazardous substances) to be declared!

Freitoleranz nach General tolerance		CAD-Zeichnung, keine manuellen Änderungen CAD-Drawing, no manual modifications allowed			1. Verwendung: First Use:		Blatt: Sheet:		
		Werkstoff/ Material		2021	Tag/ Date	Name		Zeichnung Nr./ Drawing No.	
		Maßstab/Scale		gezeichnet drawn	22.02.	Koetzner		83.040.1256.0 01K	
Datei/ File: 047361__01K.DCD		Elektronische Freigabe Electronic Release			Maße in mm/Dimensions are in mm				
Datei/ File: 047361__01K.DCD		Ersatz für/ Replacement for:							
Index		Datum/ Blatt Date/ Sheet		Type		Benennung/ Title		Teilespezifikation / Component specification	
Änderung/ Revision		 www.wieland-electric.com				WIENET IP SWITCH UMS 5-C-4G-1SFP-W			

A  
1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
M1  
M2  
M3  
L  
G  
i  
11.1  
12.1  
1.1