

Data sheet

Commercial Art.No.: R1.100.0243.0

magnet switch set SMA 0243

safety switch and magnet, manipulation safe, rectangle-shaped design, LED,
dimensions LxWxH: 88x25x14mm, NO/NO/NC contact, protection category: IP67,
cable length: 3m



Commercial Art.No.	R1.100.0243.0
EAN	4049088232350
Order Unit	1

Technical data

general

suitable for safety functions	yes
housing material	plastic
number of protected contact energized outputs	2
type of electric connection	cable
construction type housing	cuboid
cross-/short circuit identification possible	yes
degree of protection (IP)	IP67
type of actuation	magnet

safety parameters

category (ISO 13849-1)	4
PL (ISO 13849-1)	level e
SIL _{CL} (IEC 62061)	3
HFT	1
T _M	20 a

output circuit

max. output current at protected output	200 mA
min. output current	5 mA
min. rated supply voltage at DC	5 V
max. rated supply voltage at DC	48 V

other

voltage type	DC
number of protected semiconductor outputs	0
type of switch output	other

classification

ECLASS 11	
-----------	--


ECLASS 8.1	27270105
ETIM 9.0	EC002544
ETIM 8.0	EC002544
ETIM 7.0	EC002544
ETIM 6.0	EC002544
ETIM 5.0	EC002544
ETIM 4.0	EC002544

product compliance

ROHS conformity status	compliant
REACH-SVHC conformity status	compliant

Accessories

Commercial Art.No.:	Article-type description:	Description:
R1.100.5004.0	connection cable M8 SMA 5004	M8 cable female, 4-pole, end cut off, cable length: 5m
R1.100.5005.0	connection cable M8 SMA 5005	M8 cable female, 4-pole, end cut off, cable length: 10m



Teile-Nr. / Part-No.	Anschluss / connection
R1.100.0213.0	PVC cable - 3 m
R1.100.0223.0	PVC cable - 3 m
R1.100.0224.0	PVC cable - 5 m
R1.100.0226.0	PVC cable - 10 m
R1.100.0228.0	PVC cable - 20 m
R1.100.0233.0	PVC cable - 3 m
R1.100.0236.0	PVC cable - 10 000 m
R1.100.0243.0	PVC cable - 3 m
R1.100.0249.0	M12-8
R1.100.0613.0	PVC cable - 3 m
R1.100.0623.0	PVC cable - 3 m
R1.100.0626.0	PVC cable - 10 m

Weitere Angaben siehe KATALOG oder eKatalog. Additional data see CATALOG or eCatalog.				www.wieland-electric.com eshop.wieland-electric.com	
ja/yes <input checked="" type="checkbox"/> Stoffverbots- und Deklarationsliste nach WN 5020.010 ist einzuhalten. Conformity with Wieland document WN 5020.010 e (list of prohibited / declarable hazardous substances) to be declared!					
Freitoleranz nach General tolerance		CAD-Zeichnung, keine manuellen Änderungen CAD drawing, no manual modifications allowed		1. Verwendung: First Use:	Blatt: Sheet:
		Werkstoff / Material	2015 gezeichnet drawn	Tag/Date 26.05.	Name Koetzner
		Maßstab/Scale	geprüft checked		
		Datei / File: 028691_B01K.DCD	Normgepr. Stand. check	Zeichnung Nr. / Drawing No. T R1.100.0213.0 01K	
		Ersatz für / Replacement for:	Maße in mm / Dimensions are in mm		
⑥ 11.02.20	④ 11.11.15	Index	Datum / Blatt Date / Sheet	Änderung / Revision	Benennung / Title Teilespezifikation / Component specification SMA Magnetschalter rechteckig / Machine safety switch, rectangular
		www.wieland www.wieland-electric.com	Type		