


Data sheet

Commercial Art.No.: R1.180.0070.0

PLC digital I/O-module SA-IN-S1-K-A DC 24V

samos Input module, switch-programable, 4 x 2 inputs, 2 x 10 input functions, screw-terminals pluggable



Commercial Art.No.	R1.180.0070.0
EAN	4015573818064
Order Unit	1

certificates / approvals



Technical data

general

SIL according to IEC 61508	3
in-/outputs configurable	yes

connection data

type of electric connection	screw connection
-----------------------------	------------------

safety parameters

category (ISO 13849-1)	4
PL (ISO 13849-1)	level e
SIL _{CL} (IEC 62061)	3
HFT	1
T _M	20 a

output circuit

number of outputs	0
-------------------	---

other

suitable for safety functions	yes
type of supply voltage	DC

control circuit

number of inputs	8
input current (at state "1")	8 mA
permitted voltage at input	30 V

supply circuit

min. supply voltage at DC	19.2 V
max. supply voltage at DC	30 V

dimensions



depth	121 mm
width	22.5 mm
height	96.5 mm

classification

ECLASS 11	
ECLASS 8.1	27242204
ETIM 9.0	EC001419
ETIM 8.0	EC001419
ETIM 7.0	EC001419
ETIM 6.0	EC001419
ETIM 5.0	EC001419
ETIM 4.0	EC001419
ETIM 3.0	EC001419

product compliance

ROHS conformity status	compliant/exempted
ROHS exceptions	III-6(c); III-7(c)I
REACH-SVHC conformity status	Duty-To-Declare
REACH-SVHC substances	Lead
REACH-SVHC CAS numbers	7439-92-1



Weitere Angaben siehe KATALOG oder eKatalog.
Additional data see CATALOG or eCatalog. www.wieland-electric.com
eshop.wieland-electric.com

ja/yes <input type="checkbox"/> Stoffverbots- und Deklarationsliste nach UU-TQM-05/03 ist einzuhalten. Conformity with Wieland document UU-TQM-05/03 (list of prohibited / declarable hazardous substances) to be declared!		1. Verwendung: First Use:		Blatt: Sheet:	
Freitoleranz nach General tolerance		CAD-Zeichnung, keine manuellen Änderungen CAD drawing, no manual modifications allowed		Zeichnung Nr. / Drawing No. R1.180.0070.0 01K	
Werkstoff / Material		2014 gezeichnet drawn	Tag/Date 06.06.	Name Kötzner	
Maßstab/Scale		Elektronische Freigabe Electronic Release		Maße in mm / Dimensions are in mm	
Datei / File: 031161_A01K_R1.180.0070.0.DCD		Ersatz für / Replacement for:			
(a) 07.05.24 Datum / Blatt Date / Sheet		wieland		Benennung / Title Maßbild/dimension drawing Standardgehäuse mit Busstecker u. Zapfen, Baubreite 22,5mm, hoher Deckel, Schraubklemmen steckbar standard housing with bus-connector and pintle, high cover, plug-in pcb terminal	
Änderung / Revision					

A
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
M1
M2
M3
L
G
i
11.1
12.1
1.1