

## Data sheet

Commercial Art.No.: R1.190.0190.1

PLC communication module SP-PROFIBUS-DP DC24V

samosPRO-Gateway for Profibus-DP



Commercial Art.No.	R1.190.0190.1
EAN	4049088499210
Order Unit	1

certificates / approvals



## Technical data

### general

suitable for safety functions	no
number of HW-interfaces industrial Ethernet	0
number of HW-interfaces USB	0
supporting CAN protocol	no
supporting protocol for EtherNet/IP	no
supporting MODBUS protocol	no
supporting PROFIBUS protocol	yes
supporting protocol for PROFINET IO	no
supporting TCP/IP protocol	no
potential separation	yes
type of data transmission	serial

### other

number of HW-interfaces RS232	0
number of HW-interfaces other	0
supports protocol other bus systems	no

### dimensions

width	22.5 mm
depth	121 mm
height	96.5 mm

### classification




ECLASS 11	
ECLASS 8.1	27242208
ETIM 9.0	EC001423
ETIM 8.0	EC001423
ETIM 7.0	EC001423
ETIM 6.0	EC001423
ETIM 5.0	EC001423
ETIM 4.0	EC001423
ETIM 3.0	EC001423

**product compliance**

ROHS conformity status	compliant/exempted
ROHS exceptions	III-6(c); III-7(c)I
REACH-SVHC conformity status	Duty-To-Declare
REACH-SVHC substances	Lead
REACH-SVHC CAS numbers	7439-92-1

**Accessories**

Commercial Art.No.:	Article-type description:	Description:
99.208.9999.9	PCB connector SAFETY SCHRAUBKL.SET	
99.209.9999.9	safety plug set push in SAFETY PUSH IN SET	
R1.190.1010.0	samosPRO SP-CABLE-USB1	samosPRO-USB cable for SP-COP, 1,8 m
56.202.8055.0	initiator terminal WTP 1,5 I/O-3	Initiator terminal with push in connection for mounting on TS 35,nominal cross section: 1,5 mm <sup>2</sup> ,Width: 3,5 mm,Color: grey



Weitere Angaben siehe KATALOG oder eKatalog. Additional data see CATALOG or eCatalog. [www.wieland-electric.com](http://www.wieland-electric.com)  
[eshop.wieland-electric.com](http://eshop.wieland-electric.com)

<input checked="" type="checkbox"/> ja/yes <input type="checkbox"/> Stoffverbots- und Deklarationsliste nach WN 5020.010 ist einzuhalten. Conformity with Wieland document WN 5020.010 e (list of prohibited / declarable hazardous substances) to be declared!		CAD-Zeichnung, keine manuellen Änderungen CAD-Drawing, no manual modifications allowed		1. Verwendung: First Use:		Blatt: Sheet:	
Freitoleranz nach General tolerance		Werkstoff/ Material		2022 gezeichnet drawn	Tag/ Date 04.10.	Name Koetzner	
Maßstab/Scale		Elektronische Freigabe Electronic Release		Zeichnung Nr./ Drawing No. <b>R1.190.0190.1 01K</b>			
Datei/ File: 047711__01K.DCD		Ersatz für/ Replacement for:		Maße in mm/Dimensions are in mm			
Index Datum/ Blatt Date/ Sheet		<b>wieland</b>		Type		Benennung/ Title Teilespezifikation / Component specification	
Änderung/ Revision		GATEWAY SP-PROFIBUS DB V2					

A  
1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
M1  
M2  
M3  
L  
G  
i  
11.1  
12.1  
1.1