

KEL-DP multi-membrane cable entry plates, round

pluggable into metric cut-outs M16 - M50 / IP65 / UL Type 12



KEL-DP entry plates are designed for routing cables without connectors, hoses or fibre optics in limited space.

The KEL-DP products are an easy to assemble and cost saving alternative to traditional cable glands. Simply make a small hole in the thin membrane and push the cables through. The KEL-DP round provides protection IP65 / UL type 12.

The round version of the KEL-DP fits perfectly into metric cut-outs M16 | M20 | M25 | M32 | M40 | M50. A special rib ensures a centred fit in the cut-outs.

ST-B Plugs can be used for sealing pierced membranes if cables have been removed.

IP54



IP55



RoHS compliant

IP64



REACH COMPLIANCE

IP65



Made in Germany

UL TYPE 12



ECOLAB certified

UL US



UV ISO 4892-2A

Specifications


IP rating (EN 60529)	IP54, IP55, IP64, IP65
UL Type (UL 50E)	UL Type 12
Material	Elastomer
Flame class	UL94-V0, self-extinguishing
Operating temperature	-40 C° to 100 C°
Properties	silicone free, halogen free
Mounting options	Snap-in

Advantages & benefits

- Quick assembly without tools
- High cable density
- Cost-effective solution
- Hygienic design - free of dirt-collecting recesses


Product types & sizes

KEL-DP 20|4 A gy round




Part No.	43572	Mounting height	5 mm
EAN	4251269320477	Cut-out size, round	20 mm
Package quantity	10	Cut-out size, metric	M20
For max. no. of cables	4	For min. wall thickness	1,5 mm
Colour	grau (ähnlich RAL 7035)	For max. wall thickness	2,5 mm
Height	12 mm	Clamping range	4 x 1 - 5.2 mm
External diameter	27 mm		

KEL-DP 20|1 A gy round



Part No.	43571	Mounting height	5 mm
EAN	4251269329784	Cut-out size, round	20 mm
Package quantity	10	Cut-out size, metric	M20
For max. no. of cables	1	For min. wall thickness	1,5 mm
Colour	grau (ähnlich RAL 7035)	For max. wall thickness	2,5 mm
Height	12 mm	Clamping range	1 x 1 - 14 mm
External diameter	27 mm		


KEL-DP 20|4-1 A gy round

Part No.
EAN
Package quantity
For max. no. of cables
Colour
Height
External diameter

43575
4251269323911
10
4
grau (ähnlich RAL 7035)
12 mm
27 mm

Mounting height
Cut-out size, round
Cut-out size, metric
For min. wall thickness
For max. wall thickness
Clamping range

5 mm
20 mm
M20
1,5 mm
2,5 mm
2 x 1 - 8 mm
2 x 1 - 4.5 mm


KEL-DP 20|5 A gy round

Part No.
EAN
Package quantity
For max. no. of cables
Colour
Height
External diameter

43573
4251269320484
10
5
grau (ähnlich RAL 7035)
12 mm
27 mm

Mounting height
Cut-out size, round
Cut-out size, metric
For min. wall thickness
For max. wall thickness
Clamping range

5 mm
20 mm
M20
1,5 mm
2,5 mm
1 x 1 - 10.6 mm
2 x 1 - 4.6 mm
2 x 1 - 3.6 mm


KEL-DP 20|9 A gy round

Part No.
EAN
Package quantity
For max. no. of cables
Colour
Height
External diameter

43574
4251269320491
10
9
grau (ähnlich RAL 7035)
12 mm
27 mm

Mounting height
Cut-out size, round
Cut-out size, metric
For min. wall thickness
For max. wall thickness
Clamping range

5 mm
20 mm
M20
1,5 mm
2,5 mm
5 x 1 - 4.6 mm
4 x 1 - 3.6 mm


KEL-DP 16|1 A gy round

Part No.
EAN
Package quantity
For max. no. of cables
Colour
Height
External diameter

43600
4251269329791
10
1
grau (ähnlich RAL 7035)
12 mm
23 mm

Mounting height
Cut-out size, round
Cut-out size, metric
For min. wall thickness
For max. wall thickness
Clamping range

5 mm
16 mm
M16
1,5 mm
2,5 mm
1 x 1 - 9.2 mm


KEL-DP 16|3 A gy round

Part No.
EAN
Package quantity
For max. no. of cables
Colour
Height
External diameter

43601
4251269329807
10
3
grau (ähnlich RAL 7035)
12 mm
23 mm

Mounting height
Cut-out size, round
Cut-out size, metric
For min. wall thickness
For max. wall thickness
Clamping range

5 mm
16 mm
M16
1,5 mm
2,5 mm
3 x 1 - 5.2 mm

KEL-DP 16|7 A gy round


Part No.
EAN
Package quantity
For max. no. of cables
Colour
Height
External diameter

43602
4251269329814
10
7
grau (ähnlich RAL 7035)
12 mm
23 mm

Mounting height
Cut-out size, round
Cut-out size, metric
For min. wall thickness
For max. wall thickness
Clamping range

5 mm
16 mm
M16
1,5 mm
2,5 mm
7 x 1 - 3.2 mm


**KEL-DP 25|4 A gy
round**



Part No. **43533**
EAN **4251269310027**
Package quantity **10**
For max. no. of cables **4**
Colour **grau (ähnlich RAL 7035)**
Height **12 mm**
External diameter **32 mm**

Mounting height **5 mm**
Cut-out size, round **25 mm**
Cut-out size, metric **M25**
For min. wall thickness **1,5 mm**
For max. wall thickness **2,5 mm**
Clamping range **4 x 1 - 8 mm**


**KEL-DP 25|4 A bk
round**



Part No. **50533**
EAN **4251269314803**
Package quantity **10**
For max. no. of cables **4**
Colour **schwarz**
Height **12 mm**
External diameter **32 mm**

Mounting height **5 mm**
Cut-out size, round **25 mm**
Cut-out size, metric **M25**
For min. wall thickness **1,5 mm**
For max. wall thickness **2,5 mm**
Clamping range **4 x 1 - 8 mm**


**KEL-DP 25|4 B bk
round**



Part No. **43535**
EAN **4251269324079**
Package quantity **10**
For max. no. of cables **4**
Colour **schwarz**
Height **12 mm**
External diameter **32 mm**

Mounting height **5 mm**
Cut-out size, round **25 mm**
Cut-out size, metric **M25**
For min. wall thickness **2,8 mm**
For max. wall thickness **4 mm**
Clamping range **4 x 1 - 8 mm**


**KEL-DP 25|6 A gy
round**



Part No. **43531**
EAN **4251269310003**
Package quantity **10**
For max. no. of cables **6**
Colour **grau (ähnlich RAL 7035)**
Height **12 mm**
External diameter **32 mm**

Mounting height **5 mm**
Cut-out size, round **25 mm**
Cut-out size, metric **M25**
For min. wall thickness **1,5 mm**
For max. wall thickness **2,5 mm**
Clamping range **4 x 1 - 5.2 mm**
2 x 1 - 9.4 mm


**KEL-DP 25|6 A bk
round**



Part No. **50531**
EAN **4251269314780**
Package quantity **10**
For max. no. of cables **6**
Colour **schwarz**
Height **12 mm**
External diameter **32 mm**

Mounting height **5 mm**
Cut-out size, round **25 mm**
Cut-out size, metric **M25**
For min. wall thickness **1,5 mm**
For max. wall thickness **2,5 mm**
Clamping range **4 x 1 - 5.2 mm**
2 x 1 - 9.4 mm

**KEL-DP 25|7 A gy
round**




Part No. **43534**
EAN **4251269322563**
Package quantity **10**
For max. no. of cables **7**
Colour **grau (ähnlich RAL 7035)**
Height **12 mm**
External diameter **32 mm**

Mounting height **5 mm**
Cut-out size, round **25 mm**
Cut-out size, metric **M25**
For min. wall thickness **1,5 mm**
For max. wall thickness **2,5 mm**
Clamping range **7 x 1 - 5.2 mm**

KEL-DP 32|7 A gy

round




Part No. **43592**
 EAN **4251269322488**
 Package quantity **10**
 For max. no. of cables **7**
 Colour **grau (ähnlich RAL 7035)**
 Height **12 mm**
 External diameter **38 mm**

Mounting height **5 mm**
 Cut-out size, round **32 mm**
 Cut-out size, metric **M32**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **7 x 1 - 8 mm**

KEL-DP 32|7 B gy

round




Part No. **43596**
 EAN **4251269322525**
 Package quantity **10**
 For max. no. of cables **7**
 Colour **grau (ähnlich RAL 7035)**
 Height **12 mm**
 External diameter **38 mm**

Mounting height **5 mm**
 Cut-out size, round **32 mm**
 Cut-out size, metric **M32**
 For min. wall thickness **2,8 mm**
 For max. wall thickness **4 mm**
 Clamping range **7 x 1 - 8 mm**

KEL-DP 32|10 A gy

round




Part No. **43532**
 EAN **4251269310010**
 Package quantity **10**
 For max. no. of cables **10**
 Colour **grau (ähnlich RAL 7035)**
 Height **12 mm**
 External diameter **38 mm**

Mounting height **5 mm**
 Cut-out size, round **32 mm**
 Cut-out size, metric **M32**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **6 x 1 - 5.2 mm**
2 x 1 - 6.4 mm
2 x 1 - 9.4 mm

KEL-DP 32|10 B gy

round




Part No. **43560**
 EAN **4251269310133**
 Package quantity **10**
 For max. no. of cables **10**
 Colour **grau (ähnlich RAL 7035)**
 Height **12 mm**
 External diameter **38 mm**

Mounting height **5 mm**
 Cut-out size, round **32 mm**
 Cut-out size, metric **M32**
 For min. wall thickness **2,8 mm**
 For max. wall thickness **4 mm**
 Clamping range **6 x 1 - 5.2 mm**
2 x 1 - 6.4 mm
2 x 1 - 9.4 mm

KEL-DP 32|10 A bk

round




Part No. **50532**
 EAN **4251269314797**
 Package quantity **10**
 For max. no. of cables **10**
 Colour **schwarz**
 Height **12 mm**
 External diameter **38 mm**

Mounting height **5 mm**
 Cut-out size, round **32 mm**
 Cut-out size, metric **M32**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **6 x 1 - 5.2 mm**
2 x 1 - 6.4 mm
2 x 1 - 9.4 mm

KEL-DP 32|10 B bk


round



Part No. **50560**
 EAN **4251269314889**
 Package quantity **10**
 For max. no. of cables **10**
 Colour **schwarz**
 Height **12 mm**
 External diameter **38 mm**

Mounting height **5 mm**
 Cut-out size, round **32 mm**
 Cut-out size, metric **M32**
 For min. wall thickness **2,8 mm**
 For max. wall thickness **4 mm**
 Clamping range **6 x 1 - 5.2 mm**
2 x 1 - 6.4 mm
2 x 1 - 9.4 mm


**KEL-DP 32|10-2 A gy
round**



Part No. **43593**
EAN **4251269322495**
Package quantity **10**
For max. no. of cables **10**
Colour **grau (ähnlich RAL 7035)**
Height **12 mm**
External diameter **38 mm**

Mounting height **5 mm**
Cut-out size, round **32 mm**
Cut-out size, metric **M32**
For min. wall thickness **1,5 mm**
For max. wall thickness **2,5 mm**
Clamping range **10 x 1 - 6.4 mm**


**KEL-DP 32|10-2 B gy
round**



Part No. **43597**
EAN **4251269322532**
Package quantity **10**
For max. no. of cables **10**
Colour **grau (ähnlich RAL 7035)**
Height **12 mm**
External diameter **38 mm**

Mounting height **5 mm**
Cut-out size, round **32 mm**
Cut-out size, metric **M32**
For min. wall thickness **2,8 mm**
For max. wall thickness **4 mm**
Clamping range **10 x 1 - 6.4 mm**


**KEL-DP 32|11 A gy
round**



Part No. **43594**
EAN **4251269322501**
Package quantity **10**
For max. no. of cables **11**
Colour **grau (ähnlich RAL 7035)**
Height **12 mm**
External diameter **38 mm**

Mounting height **5 mm**
Cut-out size, round **32 mm**
Cut-out size, metric **M32**
For min. wall thickness **1,5 mm**
For max. wall thickness **2,5 mm**
Clamping range **2 x 1 - 8 mm**
9 x 1 - 5.2 mm


**KEL-DP 32|11 B gy
round**



Part No. **43598**
EAN **4251269322549**
Package quantity **10**
For max. no. of cables **11**
Colour **grau (ähnlich RAL 7035)**
Height **12 mm**
External diameter **38 mm**

Mounting height **5 mm**
Cut-out size, round **32 mm**
Cut-out size, metric **M32**
For min. wall thickness **2,8 mm**
For max. wall thickness **4 mm**
Clamping range **2 x 1 - 8 mm**
9 x 1 - 5.2 mm


**KEL-DP 32|13 A gy
round**



Part No. **43595**
EAN **4251269322518**
Package quantity **10**
For max. no. of cables **13**
Colour **grau (ähnlich RAL 7035)**
Height **12 mm**
External diameter **38 mm**


Mounting height **5 mm**
Cut-out size, round **32 mm**
Cut-out size, metric **M32**
For min. wall thickness **1,5 mm**
For max. wall thickness **2,5 mm**
Clamping range **13 x 1 - 5.2 mm**

**KEL-DP 32|13 B gy
round**




Part No. **43599**
EAN **4251269322556**
Package quantity **10**
For max. no. of cables **13**
Colour **grau (ähnlich RAL 7035)**
Height **12 mm**
External diameter **38 mm**

Mounting height **5 mm**
Cut-out size, round **32 mm**
Cut-out size, metric **M32**
For min. wall thickness **2,8 mm**
For max. wall thickness **4 mm**
Clamping range **13 x 1 - 5.2 mm**

**KEL-DP 40|9 A gy
round**


Part No. **43536**
 EAN **4251269310034**
 Package quantity **10**
 For max. no. of cables **9**
 Colour **grau (ähnlich RAL 7035)**
 Height **12 mm**
 External diameter **50 mm**

Mounting height **5 mm**
 Cut-out size, round **40 mm**
 Cut-out size, metric **M40**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **8 x 1 - 9.5 mm**
1 x 1 - 11.3 mm

**KEL-DP 40|9 B gy
round**


Part No. **43561**
 EAN **4251269310140**
 Package quantity **10**
 For max. no. of cables **9**
 Colour **grau (ähnlich RAL 7035)**
 Height **12 mm**
 External diameter **50 mm**

Mounting height **5 mm**
 Cut-out size, round **40 mm**
 Cut-out size, metric **M40**
 For min. wall thickness **2,8 mm**
 For max. wall thickness **4 mm**
 Clamping range **8 x 1 - 9.5 mm**
1 x 1 - 11.3 mm

**KEL-DP 40|16 A gy
round**


Part No. **43537**
 EAN **4251269310041**
 Package quantity **10**
 For max. no. of cables **16**
 Colour **grau (ähnlich RAL 7035)**
 Height **12 mm**
 External diameter **50 mm**

Mounting height **5 mm**
 Cut-out size, round **40 mm**
 Cut-out size, metric **M40**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **2 x 1 - 5.3 mm**
10 x 1 - 6.3 mm
2 x 1 - 9.5 mm
2 x 1 - 11.3 mm

**KEL-DP 40|16 B gy
round**


Part No. **43563**
 EAN **4251269310164**
 Package quantity **10**
 For max. no. of cables **16**
 Colour **grau (ähnlich RAL 7035)**
 Height **12 mm**
 External diameter **50 mm**

Mounting height **5 mm**
 Cut-out size, round **40 mm**
 Cut-out size, metric **M40**
 For min. wall thickness **2,8 mm**
 For max. wall thickness **4 mm**
 Clamping range **2 x 1 - 5.3 mm**
10 x 1 - 6.3 mm
2 x 1 - 9.5 mm
2 x 1 - 11.3 mm

**KEL-DP 40|17 A gy
round**

Part No. **43538**
 EAN **4251269310058**
 Package quantity **10**
 For max. no. of cables **17**
 Colour **grau (ähnlich RAL 7035)**
 Height **12 mm**
 External diameter **50 mm**

Mounting height **5 mm**
 Cut-out size, round **40 mm**
 Cut-out size, metric **M40**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **1 x 1 - 4 mm**
16 x 1 - 7.2 mm


**KEL-DP 40|17 B gy
round**

Part No. **43565**
 EAN **4251269310188**
 Package quantity **10**
 For max. no. of cables **17**
 Colour **grau (ähnlich RAL 7035)**
 Height **12 mm**
 External diameter **50 mm**

Mounting height **5 mm**
 Cut-out size, round **40 mm**
 Cut-out size, metric **M40**
 For min. wall thickness **2,8 mm**
 For max. wall thickness **4 mm**
 Clamping range **1 x 1 - 4 mm**
16 x 1 - 7.2 mm

KEL-DP 50|9 A gy

round



Part No.
EAN
Package quantity
For max. no. of cables
Colour
Height
External diameter


43554
4251269310102
10
9
grau (ähnlich RAL 7035)
12 mm
60 mm

Mounting height
Cut-out size, round
Cut-out size, metric
For min. wall thickness
For max. wall thickness
Clamping range

5 mm
50 mm
M50
1,5 mm
2,5 mm
5 x 1 - 7 mm
4 x 1 - 18 mm

KEL-DP 50|9 B gy

round



Part No.
EAN
Package quantity
For max. no. of cables
Colour
Height
External diameter


43568
4251269310218
10
9
grau (ähnlich RAL 7035)
12 mm
60 mm

Mounting height
Cut-out size, round
Cut-out size, metric
For min. wall thickness
For max. wall thickness
Clamping range

5 mm
50 mm
M50
2,8 mm
4 mm
5 x 1 - 7 mm
4 x 1 - 18 mm

KEL-DP 50|9 A bk

round



Part No.
EAN
Package quantity
For max. no. of cables
Colour
Height
External diameter


50554
4251269314858
10
9
schwarz
12 mm
60 mm

Mounting height
Cut-out size, round
Cut-out size, metric
For min. wall thickness
For max. wall thickness
Clamping range

5 mm
50 mm
M50
1,5 mm
2,5 mm
5 x 1 - 7 mm
4 x 1 - 18 mm

KEL-DP 50|9 B bk

round



Part No.
EAN
Package quantity
For max. no. of cables
Colour
Height
External diameter


50568
4251269314933
10
9
schwarz
12 mm
60 mm

Mounting height
Cut-out size, round
Cut-out size, metric
For min. wall thickness
For max. wall thickness
Clamping range

5 mm
50 mm
M50
2,8 mm
4 mm
5 x 1 - 7 mm
4 x 1 - 18 mm

KEL-DP 50|11 A gy

round



Part No.
EAN
Package quantity
For max. no. of cables
Colour
Height
External diameter


43555
4251269310119
10
11
grau (ähnlich RAL 7035)
12 mm
60 mm

Mounting height
Cut-out size, round
Cut-out size, metric
For min. wall thickness
For max. wall thickness
Clamping range

5 mm
50 mm
M50
1,5 mm
2,5 mm
7 x 1 - 7.2 mm
3 x 1 - 11.2 mm
1 x 1 - 22.5 mm

KEL-DP 50|11 B gy

round




Part No.
EAN
Package quantity
For max. no. of cables
Colour
Height
External diameter

43569
4251269310225
10
11
grau (ähnlich RAL 7035)
12 mm
60 mm

Mounting height
Cut-out size, round
Cut-out size, metric
For min. wall thickness
For max. wall thickness
Clamping range


5 mm
50 mm
M50
2,8 mm
4 mm
7 x 1 - 7.2 mm
3 x 1 - 11.2 mm
1 x 1 - 22.5 mm

**KEL-DP 50|11 A bk
round**




Part No.	50555	Mounting height	5 mm
EAN	4251269314865	Cut-out size, round	50 mm
Package quantity	10	Cut-out size, metric	M50
For max. no. of cables	11	For min. wall thickness	1,5 mm
Colour	schwarz	For max. wall thickness	2,5 mm
Height	12 mm	Clamping range	7 x 1 - 7.2 mm
External diameter	60 mm		3 x 1 - 11.2 mm
			1 x 1 - 22.5 mm

**KEL-DP 50|11 B bk
round**




Part No.	50569	Mounting height	5 mm
EAN	4251269314940	Cut-out size, round	50 mm
Package quantity	10	Cut-out size, metric	M50
For max. no. of cables	11	For min. wall thickness	2,8 mm
Colour	schwarz	For max. wall thickness	4 mm
Height	12 mm	Clamping range	7 x 1 - 7.2 mm
External diameter	60 mm		3 x 1 - 11.2 mm
			1 x 1 - 22.5 mm

**KEL-DP 50|12 A gy
round**




Part No.	43551	Mounting height	5 mm
EAN	4251269310072	Cut-out size, round	50 mm
Package quantity	10	Cut-out size, metric	M50
For max. no. of cables	12	For min. wall thickness	1,5 mm
Colour	grau (ähnlich RAL 7035)	For max. wall thickness	2,5 mm
Height	12 mm	Clamping range	10 x 1 - 9.2 mm
External diameter	60 mm		2 x 1 - 11.2 mm

**KEL-DP 50|12 B gy
round**




Part No.	43562	Mounting height	5 mm
EAN	4251269310157	Cut-out size, round	50 mm
Package quantity	10	Cut-out size, metric	M50
For max. no. of cables	12	For min. wall thickness	2,8 mm
Colour	grau (ähnlich RAL 7035)	For max. wall thickness	4 mm
Height	12 mm	Clamping range	10 x 1 - 9.2 mm
External diameter	60 mm		2 x 1 - 11.2 mm

**KEL-DP 50|12 A bk
round**




Part No.	50551	Mounting height	5 mm
EAN	4251269314827	Cut-out size, round	50 mm
Package quantity	10	Cut-out size, metric	M50
For max. no. of cables	12	For min. wall thickness	1,5 mm
Colour	schwarz	For max. wall thickness	2,5 mm
Height	12 mm	Clamping range	10 x 1 - 9.2 mm
External diameter	60 mm		2 x 1 - 11.2 mm

**KEL-DP 50|12 B bk
round**




Part No.	50562	Mounting height	5 mm
EAN	4251269314896	Cut-out size, round	50 mm
Package quantity	10	Cut-out size, metric	M50
For max. no. of cables	12	For min. wall thickness	2,8 mm
Colour	schwarz	For max. wall thickness	4 mm
Height	12 mm	Clamping range	10 x 1 - 9.2 mm
External diameter	60 mm		2 x 1 - 11.2 mm

**KEL-DP 50|16 A gy
round**


Part No. **43550**
 EAN **4251269310065**
 Package quantity **10**
 For max. no. of cables **16**
 Colour **grau (ähnlich RAL 7035)**
 Height **12 mm**
 External diameter **60 mm**

Mounting height **5 mm**
 Cut-out size, round **50 mm**
 Cut-out size, metric **M50**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **4 x 1 - 5.3 mm**
5 x 1 - 6.3 mm
3 x 1 - 9.5 mm
4 x 1 - 11.3 mm

**KEL-DP 50|16 B gy
round**


Part No. **43564**
 EAN **4251269310171**
 Package quantity **10**
 For max. no. of cables **16**
 Colour **grau (ähnlich RAL 7035)**
 Height **12 mm**
 External diameter **60 mm**

Mounting height **5 mm**
 Cut-out size, round **50 mm**
 Cut-out size, metric **M50**
 For min. wall thickness **2,8 mm**
 For max. wall thickness **4 mm**
 Clamping range **4 x 1 - 5.3 mm**
5 x 1 - 6.3 mm
3 x 1 - 9.5 mm
4 x 1 - 11.3 mm

**KEL-DP 50|16 A bk
round**


Part No. **50550**
 EAN **4251269314810**
 Package quantity **10**
 For max. no. of cables **16**
 Colour **schwarz**
 Height **12 mm**
 External diameter **60 mm**

Mounting height **5 mm**
 Cut-out size, round **50 mm**
 Cut-out size, metric **M50**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **4 x 1 - 5.3 mm**
5 x 1 - 6.3 mm
3 x 1 - 9.5 mm
4 x 1 - 11.3 mm

**KEL-DP 50|16 B bk
round**


Part No. **50564**
 EAN **4251269314902**
 Package quantity **10**
 For max. no. of cables **16**
 Colour **schwarz**
 Height **12 mm**
 External diameter **60 mm**

Mounting height **5 mm**
 Cut-out size, round **50 mm**
 Cut-out size, metric **M50**
 For min. wall thickness **2,8 mm**
 For max. wall thickness **4 mm**
 Clamping range **4 x 1 - 5.3 mm**
5 x 1 - 6.3 mm
3 x 1 - 9.5 mm
4 x 1 - 11.3 mm


**KEL-DP 50|18 A gy
round**

Part No. **43553**
 EAN **4251269310096**
 Package quantity **10**
 For max. no. of cables **18**
 Colour **grau (ähnlich RAL 7035)**
 Height **12 mm**
 External diameter **60 mm**


Mounting height **5 mm**
 Cut-out size, round **50 mm**
 Cut-out size, metric **M50**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **2 x 1 - 4 mm**
2 x 1 - 6 mm
4 x 1 - 7.2 mm
5 x 1 - 9.4 mm
5 x 1 - 12 mm

**KEL-DP 50|18 B gy
round**


Part No.	43567	Mounting height	5 mm
EAN	4251269310201	Cut-out size, round	50 mm
Package quantity	10	Cut-out size, metric	M50
For max. no. of cables	18	For min. wall thickness	2,8 mm
Colour	grau (ähnlich RAL 7035)	For max. wall thickness	4 mm
Height	12 mm	Clamping range	2 x 1 - 4 mm
External diameter	60 mm		2 x 1 - 6 mm
			4 x 1 - 7.2 mm
			5 x 1 - 9.4 mm
			5 x 1 - 12 mm

**KEL-DP 50|18 A bk
round**


Part No.	50553	Mounting height	5 mm
EAN	4251269314841	Cut-out size, round	50 mm
Package quantity	10	Cut-out size, metric	M50
For max. no. of cables	18	For min. wall thickness	1,5 mm
Colour	schwarz	For max. wall thickness	2,5 mm
Height	12 mm	Clamping range	2 x 1 - 4 mm
External diameter	60 mm		2 x 1 - 6 mm
			4 x 1 - 7.2 mm
			5 x 1 - 9.4 mm
			5 x 1 - 12 mm

**KEL-DP 50|18 B bk
round**


Part No.	50567	Mounting height	5 mm
EAN	4251269314926	Cut-out size, round	50 mm
Package quantity	10	Cut-out size, metric	M50
For max. no. of cables	18	For min. wall thickness	2,8 mm
Colour	schwarz	For max. wall thickness	4 mm
Height	12 mm	Clamping range	2 x 1 - 4 mm
External diameter	60 mm		2 x 1 - 6 mm
			4 x 1 - 7.2 mm
			5 x 1 - 9.4 mm
			5 x 1 - 12 mm

**KEL-DP 50|20 A gy
round**

Part No.	43552	Mounting height	5 mm
EAN	4251269310089	Cut-out size, round	50 mm
Package quantity	10	Cut-out size, metric	M50
For max. no. of cables	20	For min. wall thickness	1,5 mm
Colour	grau (ähnlich RAL 7035)	For max. wall thickness	2,5 mm
Height	12 mm	Clamping range	16 x 1 - 6.3 mm
External diameter	60 mm		4 x 1 - 9.3 mm

**KEL-DP 50|20 B gy
round**

Part No.	43566	Mounting height	5 mm
EAN	4251269310195	Cut-out size, round	50 mm
Package quantity	10	Cut-out size, metric	M50
For max. no. of cables	20	For min. wall thickness	2,8 mm
Colour	grau (ähnlich RAL 7035)	For max. wall thickness	4 mm
Height	12 mm	Clamping range	16 x 1 - 6.3 mm
External diameter	60 mm		4 x 1 - 9.3 mm


KEL-DP 50|20 A bk round

Part No.
EAN
Package quantity
For max. no. of cables
Colour
Height
External diameter

50552
4251269314834
10
20
schwarz
12 mm
60 mm

Mounting height
Cut-out size, round
Cut-out size, metric
For min. wall thickness
For max. wall thickness
Clamping range

5 mm
50 mm
M50
1,5 mm
2,5 mm
16 x 1 - 6.3 mm
4 x 1 - 9.3 mm


KEL-DP 50|20 B bk round

Part No.
EAN
Package quantity
For max. no. of cables
Colour
Height
External diameter

50566
4251269314919
10
20
schwarz
12 mm
60 mm

Mounting height
Cut-out size, round
Cut-out size, metric
For min. wall thickness
For max. wall thickness
Clamping range

5 mm
50 mm
M50
2,8 mm
4 mm
16 x 1 - 6.3 mm
4 x 1 - 9.3 mm


KEL-DP 50|35 A gy round

Part No.
EAN
Package quantity
For max. no. of cables
Colour
Height
External diameter

43556
4251269310126
10
35
grau (ähnlich RAL 7035)
12 mm
60 mm

Mounting height
Cut-out size, round
Cut-out size, metric
For min. wall thickness
For max. wall thickness
Clamping range

5 mm
50 mm
M50
1,5 mm
2,5 mm
35 x 1 - 5.2 mm


KEL-DP 50|35 B gy round

Part No.
EAN
Package quantity
For max. no. of cables
Colour
Height
External diameter

43570
4251269310232
10
35
grau (ähnlich RAL 7035)
12 mm
60 mm

Mounting height
Cut-out size, round
Cut-out size, metric
For min. wall thickness
For max. wall thickness

5 mm
50 mm
M50
2,8 mm
4 mm


KEL-DP 50|35 A bk round

Part No.
EAN
Package quantity
For max. no. of cables
Colour
Height
External diameter

50556
4251269314872
10
35
schwarz
12 mm
60 mm

Mounting height
Cut-out size, round
Cut-out size, metric
For min. wall thickness
For max. wall thickness
Clamping range

5 mm
50 mm
M50
1,5 mm
2,5 mm
35 x 1 - 5.2 mm

KEL-DP 50|35 B bk round

Part No.
EAN
Package quantity
For max. no. of cables
Colour
Height
External diameter

50570
4251269314957
10
35
schwarz
12 mm
60 mm

Mounting height
Cut-out size, round
Cut-out size, metric
For min. wall thickness
For max. wall thickness
Clamping range

5 mm
50 mm
M50
2,8 mm
4 mm
35 x 1 - 5.2 mm

