

KEL-DP multi-membrane cable entry plates

pluggable, with high cable density / IP64 / UL Type 12




KEL-DP entry plates are designed for routing cables without connectors, hoses or fibre optics in limited space.

The KEL-DP products are an easy to assemble and cost saving alternative to traditional cable glands. Simply make a small hole in the thin membrane and push the cables through. The KEL-DP provides protection IP64 / UL type 12.

The KEL-DP matches exactly the cut-out dimensions of 6-, 10-, 16- and 24-pin standard industrial connectors. The very compact size KEL-DP-E is designed for routing cables in very small space. Through a cut-out of only 18 x 112 mm, up to 21 cables can be easily routed and sealed. A special rib ensures a centred fit in the cut-outs.

[ST-B Plugs](#) can be used for sealing pierced membranes if cables have been removed.



Specifications


IP rating (EN 60529)	IP54, IP64
UL Type (UL 50E)	UL Type 12
Material	Elastomer
Flame class	UL94-V0, self-extinguishing
Operating temperature	-30 C° to 100 C°
Properties	halogen free, silicone free
Mounting options	Snap-in

Advantages & benefits

- Quick assembly without tools
- High cable density
- Cost-effective solution
- Hygienic design - free of dirt-collecting recesses


Product types & sizes

KEL-DP 16|10 A gy




Part No.	43460	Height	12 mm
EAN	4251269320750	Mounting height	5 mm
Package quantity	10	Cut-out size	86 x 36 mm
For max. no. of cables	10	For min. wall thickness	1,5 mm
Colour	grau (ähnlich RAL 7035)	For max. wall thickness	2,5 mm
Length	96 mm	Clamping range	10 x 1 - 12.2 mm
Width	44 mm		


KEL-DP 16|11 A gy




Part No.	43461	Height	12 mm
EAN	4251269320767	Mounting height	5 mm
Package quantity	10	Cut-out size	86 x 36 mm
For max. no. of cables	11	For min. wall thickness	1,5 mm
Colour	grau (ähnlich RAL 7035)	For max. wall thickness	2,5 mm
Length	96 mm	Clamping range	3 x 1 - 10.5 mm
Width	44 mm		8 x 1 - 12.6 mm

KEL-DP 16|20 A gy


Part No.	43462	Height	12 mm
EAN	4251269320774	Mounting height	5 mm
Package quantity	10	Cut-out size	86 × 36 mm
For max. no. of cables	20	For min. wall thickness	1,5 mm
Colour	grau (ähnlich RAL 7035)	For max. wall thickness	2,5 mm
Length	96 mm	Clamping range	20 x 1 - 8.3 mm
Width	44 mm		

KEL-DP 16|22 A gy


Part No.	43463	Height	12 mm
EAN	4251269320781	Mounting height	5 mm
Package quantity	10	Cut-out size	86 × 36 mm
For max. no. of cables	22	For min. wall thickness	1,5 mm
Colour	grau (ähnlich RAL 7035)	For max. wall thickness	2,5 mm
Length	96 mm	Clamping range	5 x 1 - 12.1 mm
Width	44 mm		4 x 1 - 8.3 mm
			13 x 1 - 6.5 mm

KEL-DP 16|23 A gy


Part No.	43464	Height	12 mm
EAN	4251269320798	Mounting height	5 mm
Package quantity	10	Cut-out size	86 × 36 mm
For max. no. of cables	23	For min. wall thickness	1,5 mm
Colour	grau (ähnlich RAL 7035)	For max. wall thickness	2,5 mm
Length	96 mm	Clamping range	18 x 1 - 6.5 mm
Width	44 mm		5 x 1 - 12.1 mm

KEL-DP 16|26 A gy


Part No.	43465	Height	12 mm
EAN	4251269320804	Mounting height	5 mm
Package quantity	10	Cut-out size	86 × 36 mm
For max. no. of cables	26	For min. wall thickness	1,5 mm
Colour	grau (ähnlich RAL 7035)	For max. wall thickness	2,5 mm
Length	96 mm	Clamping range	19 x 1 - 6.5 mm
Width	44 mm		7 x 1 - 8.3 mm

KEL-DP 24|12 A gy


Part No.	43508	Height	12
EAN	4251269309830	Mounting height	5 mm
Package quantity	10	Cut-out size	112 × 36 mm
For max. no. of cables	12	For min. wall thickness	1,5 mm
Colour	grau (ähnlich RAL 7035)	For max. wall thickness	2,5 mm
Length	142 mm	Clamping range	12 x 1 - 15 mm
Width	44 mm		

KEL-DP 24|12 A bk


Part No.	50508	Height	12
EAN	4251269314612	Mounting height	5 mm
Package quantity	10	Cut-out size	112 × 36 mm
For max. no. of cables	12	For min. wall thickness	1,5 mm
Colour	schwarz	For max. wall thickness	2,5 mm
Length	142 mm	Clamping range	12 x 1 - 15 mm
Width	44 mm		

KEL-DP 24|14 A gy


Part No.	43512	Height	12
EAN	4251269309854	Mounting height	5 mm
Package quantity	10	Cut-out size	112 × 36 mm
For max. no. of cables	14	For min. wall thickness	1,5 mm
Colour	grau (ähnlich RAL 7035)	For max. wall thickness	2,5 mm
Length	142 mm	Clamping range	14 x 1 - 12.1 mm
Width	44 mm		

KEL-DP 24|14 B gy


Part No.	43522	Height	12
EAN	4251269309939	Mounting height	5 mm
Package quantity	10	Cut-out size	112 × 36 mm
For max. no. of cables	14	For min. wall thickness	2,8 mm
Colour	grau (ähnlich RAL 7035)	For max. wall thickness	4 mm
Length	142 mm	Clamping range	14 x 1 - 12.1 mm
Width	44 mm		

KEL-DP 24|14 A bk


Part No.	50512	Height	12
EAN	4251269314636	Mounting height	5 mm
Package quantity	10	Cut-out size	112 × 36 mm
For max. no. of cables	14	For min. wall thickness	1,5 mm
Colour	schwarz	For max. wall thickness	2,5 mm
Length	142 mm	Clamping range	14 x 1 - 12.1 mm
Width	44 mm		

KEL-DP 24|14 B bk


Part No.	50522	Height	12
EAN	4251269314711	Mounting height	5 mm
Package quantity	10	Cut-out size	112 × 36 mm
For max. no. of cables	14	For min. wall thickness	2,8 mm
Colour	schwarz	For max. wall thickness	4 mm
Length	142 mm	Clamping range	14 x 1 - 12.1 mm
Width	44 mm		

KEL-DP 24|17 A gy


Part No.	43514	Height	12
EAN	4251269309861	Mounting height	5 mm
Package quantity	10	Cut-out size	112 × 36 mm
For max. no. of cables	17	For min. wall thickness	1,5 mm
Colour	grau (ähnlich RAL 7035)	For max. wall thickness	2,5 mm
Length	142 mm	Clamping range	5 x 1 - 10.5 mm
Width	44 mm		12 x 1 - 12.6 mm

KEL-DP 24|17 B gy

Part No.	43523	Height	12
EAN	4251269309946	Mounting height	5 mm
Package quantity	10	Cut-out size	112 × 36 mm
For max. no. of cables	17	For min. wall thickness	2,8 mm
Colour	grau (ähnlich RAL 7035)	For max. wall thickness	4 mm
Length	142 mm	Clamping range	5 x 1 - 10.5 mm
Width	44 mm		12 x 1 - 12.6 mm

KEL-DP 24|17 A bk


Part No.	50514	Height	12
EAN	4251269314643	Mounting height	5 mm
Package quantity	10	Cut-out size	112 x 36 mm
For max. no. of cables	17	For min. wall thickness	1,5 mm
Colour	schwarz	For max. wall thickness	2,5 mm
Length	142 mm	Clamping range	5 x 1 - 10.5 mm
Width	44 mm		12 x 1 - 12.6 mm

KEL-DP 24|17 B bk


Part No.	50523	Height	12
EAN	4251269314728	Mounting height	5 mm
Package quantity	10	Cut-out size	112 x 36 mm
For max. no. of cables	17	For min. wall thickness	2,8 mm
Colour	schwarz	For max. wall thickness	4 mm
Length	142 mm	Clamping range	5 x 1 - 10.5 mm
Width	44 mm		12 x 1 - 12.6 mm

KEL-DP 24|18 A gy


Part No.	43515	Height	12
EAN	4251269309878	Mounting height	5 mm
Package quantity	10	Cut-out size	112 x 36 mm
For max. no. of cables	18	For min. wall thickness	1,5 mm
Colour	grau (ähnlich RAL 7035)	For max. wall thickness	2,5 mm
Length	142 mm	Clamping range	4 x 1 - 6.5 mm
Width	44 mm		5 x 1 - 10.5 mm
			5 x 1 - 12.6 mm
			4 x 1 - 16.1 mm

KEL-DP 24|18 B gy


Part No.	43528	Height	12
EAN	4251269309991	Mounting height	5 mm
Package quantity	10	Cut-out size	112 x 36 mm
For max. no. of cables	18	For min. wall thickness	2,8 mm
Colour	grau (ähnlich RAL 7035)	For max. wall thickness	4 mm
Length	142 mm	Clamping range	4 x 1 - 6.5 mm
Width	44 mm		5 x 1 - 10.5 mm
			5 x 1 - 12.6 mm
			4 x 1 - 16.1 mm

KEL-DP 24|18 A bk


Part No.	50515	Height	12
EAN	4251269314650	Mounting height	5 mm
Package quantity	10	Cut-out size	112 x 36 mm
For max. no. of cables	18	For min. wall thickness	1,5 mm
Colour	schwarz	For max. wall thickness	2,5 mm
Length	142 mm	Clamping range	4 x 1 - 6.5 mm
Width	44 mm		5 x 1 - 10.5 mm
			5 x 1 - 12.6 mm
			4 x 1 - 16.1 mm

KEL-DP 24|18 B bk


Part No.	50528	Height	12
EAN	4251269314773	Mounting height	5 mm
Package quantity	10	Cut-out size	112 x 36 mm
For max. no. of cables	18	For min. wall thickness	2,8 mm
Colour	schwarz	For max. wall thickness	4 mm
Length	142 mm	Clamping range	4 x 1 - 6.5 mm
Width	44 mm		5 x 1 - 10.5 mm
			5 x 1 - 12.6 mm
			4 x 1 - 16.1 mm

KEL-DP 24|19 A gy


Part No.	43516	Height	12
EAN	4251269309885	Mounting height	5 mm
Package quantity	10	Cut-out size	112 x 36 mm
For max. no. of cables	19	For min. wall thickness	1,5 mm
Colour	grau (ähnlich RAL 7035)	For max. wall thickness	2,5 mm
Length	142 mm	Clamping range	12 x 1 - 6.5 mm
Width	44 mm		7 x 1 - 12.1 mm

KEL-DP 24|19 B gy

Part No.	43524	Height	12
EAN	4251269309953	Mounting height	5 mm
Package quantity	10	Cut-out size	112 x 36 mm
For max. no. of cables	19	For min. wall thickness	2,8 mm
Colour	grau (ähnlich RAL 7035)	For max. wall thickness	4 mm
Length	142 mm	Clamping range	12 x 1 - 6.5 mm
Width	44 mm		7 x 1 - 12.1 mm

KEL-DP 24|19 A bk

Part No.	50516	Height	12
EAN	4251269314667	Mounting height	5 mm
Package quantity	10	Cut-out size	112 x 36 mm
For max. no. of cables	19	For min. wall thickness	1,5 mm
Colour	schwarz	For max. wall thickness	2,5 mm
Length	142 mm	Clamping range	12 x 1 - 6.5 mm
Width	44 mm		7 x 1 - 12.1 mm

KEL-DP 24|19 B bk


Part No.	50524	Height	12
EAN	4251269314735	Mounting height	5 mm
Package quantity	10	Cut-out size	112 x 36 mm
For max. no. of cables	19	For min. wall thickness	2,8 mm
Colour	schwarz	For max. wall thickness	4 mm
Length	142 mm	Clamping range	12 x 1 - 6.5 mm
Width	44 mm		7 x 1 - 12.1 mm

KEL-DP 24|26 A gy


Part No.	43518	Height	12
EAN	4251269309892	Mounting height	5 mm
Package quantity	10	Cut-out size	112 x 36 mm
For max. no. of cables	26	For min. wall thickness	1,5 mm
Colour	grau (ähnlich RAL 7035)	For max. wall thickness	2,5 mm
Length	142 mm	Clamping range	16 x 1 - 6.5 mm
Width	44 mm		4 x 1 - 12.1 mm
			4 x 1 - 16.1 mm

KEL-DP 24|26 B gy


Part No.	43525	Height	12
EAN	4251269309960	Mounting height	5 mm
Package quantity	10	Cut-out size	112 x 36 mm
For max. no. of cables	26	For min. wall thickness	2,8 mm
Colour	grau (ähnlich RAL 7035)	For max. wall thickness	4 mm
Length	142 mm	Clamping range	16 x 1 - 6.5 mm
Width	44 mm		4 x 1 - 12.1 mm
			4 x 1 - 16.1 mm

KEL-DP 24|26 A bk


Part No.	50518	Height	12
EAN	4251269314674	Mounting height	5 mm
Package quantity	10	Cut-out size	112 x 36 mm
For max. no. of cables	26	For min. wall thickness	1,5 mm
Colour	schwarz	For max. wall thickness	2,5 mm
Length	142 mm	Clamping range	16 x 1 - 6.5 mm
Width	44 mm		4 x 1 - 12.1 mm 4 x 1 - 16.1 mm

KEL-DP 24|26 B bk

Part No.	50525	Height	12
EAN	4251269314742	Mounting height	5 mm
Package quantity	10	Cut-out size	112 x 36 mm
For max. no. of cables	26	For min. wall thickness	2,8 mm
Colour	schwarz	For max. wall thickness	4 mm
Length	142 mm	Clamping range	16 x 1 - 6.5 mm
Width	44 mm		4 x 1 - 12.1 mm 4 x 1 - 16.1 mm

KEL-DP 24|42 A gy


Part No.	43511	Height	12
EAN	4251269309847	Mounting height	5 mm
Package quantity	10	Cut-out size	112 x 36 mm
For max. no. of cables	42	For min. wall thickness	1,5 mm
Colour	grau (ähnlich RAL 7035)	For max. wall thickness	2,5 mm
Length	142 mm	Clamping range	12 x 1 - 7.2 mm
Width	44 mm		17 x 1 - 6.4 mm 12 x 1 - 5 mm 1 x 1 - 4.7 mm

KEL-DP 24|42 B gy


Part No.	43521	Height	12
EAN	4251269309922	Mounting height	5 mm
Package quantity	10	Cut-out size	112 x 36 mm
For max. no. of cables	42	For min. wall thickness	2,8 mm
Colour	grau (ähnlich RAL 7035)	For max. wall thickness	4 mm
Length	142 mm	Clamping range	12 x 1 - 7.2 mm
Width	44 mm		17 x 1 - 6.4 mm 12 x 1 - 5 mm 1 x 1 - 4.7 mm

KEL-DP 24|42 A bk

Part No.	50511	Height	12
EAN	4251269314629	Mounting height	5 mm
Package quantity	10	Cut-out size	112 x 36 mm
For max. no. of cables	42	For min. wall thickness	1,5 mm
Colour	schwarz	For max. wall thickness	2,5 mm
Length	142 mm	Clamping range	12 x 1 - 7.2 mm
Width	44 mm		17 x 1 - 6.4 mm 12 x 1 - 5 mm 1 x 1 - 4.7 mm

KEL-DP 24|42 B bk

Part No.	50521	Height	12
EAN	4251269314704	Mounting height	5 mm
Package quantity	10	Cut-out size	112 × 36 mm
For max. no. of cables	42	For min. wall thickness	2,8 mm
Colour	schwarz	For max. wall thickness	4 mm
Length	142 mm	Clamping range	12 x 1 - 7.2 mm
Width	44 mm		17 x 1 - 6.4 mm
			12 x 1 - 5 mm
			1 x 1 - 4.7 mm

KEL-DP 24|48 A gy

Part No.	43519	Height	12
EAN	4251269309908	Mounting height	5 mm
Package quantity	10	Cut-out size	112 × 36 mm
For max. no. of cables	48	For min. wall thickness	1,5 mm
Colour	grau (ähnlich RAL 7035)	For max. wall thickness	2,5 mm
Length	142 mm	Clamping range	48 x 1 - 6.5 mm
Width	44 mm		

KEL-DP 24|48 B gy


Part No.	43526	Height	12
EAN	4251269309977	Mounting height	5 mm
Package quantity	10	Cut-out size	112 × 36 mm
For max. no. of cables	48	For min. wall thickness	2,8 mm
Colour	grau (ähnlich RAL 7035)	For max. wall thickness	4 mm
Length	142 mm	Clamping range	48 x 1 - 6.5 mm
Width	44 mm		

KEL-DP 24|48 A bk


Part No.	50519	Height	12
EAN	4251269314681	Mounting height	5 mm
Package quantity	10	Cut-out size	112 × 36 mm
For max. no. of cables	48	For min. wall thickness	1,5 mm
Colour	schwarz	For max. wall thickness	2,5 mm
Length	142 mm	Clamping range	48 x 1 - 6.5 mm
Width	44 mm		

KEL-DP 24|48 B bk


Part No.	50526	Height	12
EAN	4251269314759	Mounting height	5 mm
Package quantity	10	Cut-out size	112 × 36 mm
For max. no. of cables	48	For min. wall thickness	2,8 mm
Colour	schwarz	For max. wall thickness	4 mm
Length	142 mm	Clamping range	48 x 1 - 6.5 mm
Width	44 mm		

KEL-DP 24|50 A gy


Part No.	43520	Height	12
EAN	4251269309915	Mounting height	5 mm
Package quantity	10	Cut-out size	112 × 36 mm
For max. no. of cables	50	For min. wall thickness	1,5 mm
Colour	grau (ähnlich RAL 7035)	For max. wall thickness	2,5 mm
Length	142 mm	Clamping range	33 x 1 - 5.3 mm
Width	44 mm		9 x 1 - 6.4 mm
			8 x 1 - 8.3 mm

KEL-DP 24|50 B gy


Part No.	43527	Height	12
EAN	4251269309984	Mounting height	5 mm
Package quantity	10	Cut-out size	112 x 36 mm
For max. no. of cables	50	For min. wall thickness	2,8 mm
Colour	grau (ähnlich RAL 7035)	For max. wall thickness	4 mm
Length	142 mm	Clamping range	33 x 1 - 5.3 mm
Width	44 mm		9 x 1 - 6.4 mm
			8 x 1 - 8.3 mm

KEL-DP 24|50 A bk


Part No.	50520	Height	12
EAN	4251269314698	Mounting height	5 mm
Package quantity	10	Cut-out size	112 x 36 mm
For max. no. of cables	50	For min. wall thickness	1,5 mm
Colour	schwarz	For max. wall thickness	2,5 mm
Length	142 mm	Clamping range	33 x 1 - 5.3 mm
Width	44 mm		9 x 1 - 6.4 mm
			8 x 1 - 8.3 mm

KEL-DP 24|50 B bk


Part No.	50527	Height	12
EAN	4251269314766	Mounting height	5 mm
Package quantity	10	Cut-out size	112 x 36 mm
For max. no. of cables	50	For min. wall thickness	2,8 mm
Colour	schwarz	For max. wall thickness	4 mm
Length	142 mm	Clamping range	33 x 1 - 5.3 mm
Width	44 mm		9 x 1 - 6.4 mm
			8 x 1 - 8.3 mm

KEL-DP 10|8 A gy


Part No.	43466	Height	12 mm
EAN	4251269324000	Mounting height	5 mm
Package quantity	10	Cut-out size	65 x 36 mm
For max. no. of cables	8	For min. wall thickness	1,5 mm
Colour	grau (ähnlich RAL 7035)	For max. wall thickness	2,5 mm
Length	75 mm	Clamping range	8 x 1 - 12.6 mm
Width	44 mm		

KEL-DP 10|12 A gy


Part No.	43467	Height	12 mm
EAN	4251269324017	Mounting height	5 mm
Package quantity	10	Cut-out size	65 x 36 mm
For max. no. of cables	12	For min. wall thickness	1,5 mm
Colour	grau (ähnlich RAL 7035)	For max. wall thickness	2,5 mm
Length	75 mm	Clamping range	4 x 1 - 6.5 mm
Width	44 mm		4 x 1 - 8.3 mm
			4 x 1 - 12.6 mm

KEL-DP 10|14 A gy


Part No.	43468	Height	12 mm
EAN	4251269324024	Mounting height	5 mm
Package quantity	10	Cut-out size	65 x 36 mm
For max. no. of cables	14	For min. wall thickness	1,5 mm
Colour	grau (ähnlich RAL 7035)	For max. wall thickness	2,5 mm
Length	75 mm	Clamping range	14 x 1 - 8.3 mm
Width	44 mm		

KEL-DP 10|16 A gy


Part No.	43469	Height	12 mm
EAN	4251269324031	Mounting height	5 mm
Package quantity	10	Cut-out size	65 x 36 mm
For max. no. of cables	16	For min. wall thickness	1,5 mm
Colour	grau (ähnlich RAL 7035)	For max. wall thickness	2,5 mm
Length	75 mm	Clamping range	12 x 1 - 6.5 mm
Width	44 mm		4 x 1 - 12.6 mm

KEL-DP 10|26 A gy


Part No.	43470	Height	12 mm
EAN	4251269324048	Mounting height	5 mm
Package quantity	10	Cut-out size	65 x 36 mm
For max. no. of cables	26	For min. wall thickness	1,5 mm
Colour	grau (ähnlich RAL 7035)	For max. wall thickness	2,5 mm
Length	75 mm	Clamping range	26 x 1 - 6.5 mm
Width	44 mm		

KEL-DP 6|6 A gy


Part No.	43450	Height	12 mm
EAN	4251269320712	Mounting height	5 mm
Package quantity	10	Cut-out size	52 x 36 mm
For max. no. of cables	6	For min. wall thickness	1,5 mm
Colour	grau (ähnlich RAL 7035)	For max. wall thickness	2,5 mm
Length	62 mm	Clamping range	6 x 1 - 12.1 mm
Width	44 mm		

KEL-DP 6|12 A gy


Part No.	43451	Height	12 mm
EAN	4251269320729	Mounting height	5 mm
Package quantity	10	Cut-out size	52 x 36 mm
For max. no. of cables	12	For min. wall thickness	1,5 mm
Colour	grau (ähnlich RAL 7035)	For max. wall thickness	2,5 mm
Length	62 mm	Clamping range	8 x 1 - 6.5 mm
Width	44 mm		2 x 1 - 12.6 mm
			2 x 1 - 16.1 mm

KEL-DP 6|14 A gy


Part No.	43452	Height	12 mm
EAN	4251269320736	Mounting height	5 mm
Package quantity	10	Cut-out size	52 x 36 mm
For max. no. of cables	14	For min. wall thickness	1,5 mm
Colour	grau (ähnlich RAL 7035)	For max. wall thickness	2,5 mm
Length	62 mm	Clamping range	10 x 1 - 6.5 mm
Width	44 mm		4 x 1 - 10.5 mm

KEL-DP 6|25 A gy


Part No.	43453	Height	12 mm
EAN	4251269320743	Mounting height	5 mm
Package quantity	10	Cut-out size	52 x 36 mm
For max. no. of cables	25	For min. wall thickness	1,5 mm
Colour	grau (ähnlich RAL 7035)	For max. wall thickness	2,5 mm
Length	62 mm	Clamping range	21 x 1 - 5 mm
Width	44 mm		4 x 1 - 8.3 mm

KEL-DP-E 46|7 gy

Part No.	43585	Height	12 mm
EAN	4251269310287	Mounting height	5 mm
Package quantity	10	Cut-out size	46 × 18 mm
For max. no. of cables	7	For min. wall thickness	1,5 mm
Colour	grau (ähnlich RAL 7035)	For max. wall thickness	2,5 mm
Length	62 mm	Clamping range	5 x 1 - 8.3 mm
Width	25 mm		2 x 1 - 6.5 mm

KEL-DP-E 46|7 bk

Part No.	50585	Height	12 mm
EAN	4251269315008	Mounting height	5 mm
Package quantity	10	Cut-out size	46 × 18 mm
For max. no. of cables	7	For min. wall thickness	1,5 mm
Colour	schwarz	For max. wall thickness	2,5 mm
Length	62 mm	Clamping range	5 x 1 - 8.3 mm
Width	25 mm		2 x 1 - 6.5 mm

KEL-DP-E 46|9 gy


Part No.	43587	Height	12 mm
EAN	4251269310294	Mounting height	5 mm
Package quantity	10	Cut-out size	46 × 18 mm
For max. no. of cables	9	For min. wall thickness	1,5 mm
Colour	grau (ähnlich RAL 7035)	For max. wall thickness	2,5 mm
Length	62 mm	Clamping range	8 x 1 - 6.5 mm
Width	25 mm		1 x 1 - 12.1 mm

KEL-DP-E 46|9 bk

Part No.	50587	Height	12 mm
EAN	4251269315015	Mounting height	5 mm
Package quantity	10	Cut-out size	46 × 18 mm
For max. no. of cables	9	For min. wall thickness	1,5 mm
Colour	schwarz	For max. wall thickness	2,5 mm
Length	62 mm	Clamping range	8 x 1 - 6.5 mm
Width	25 mm		1 x 1 - 12.1 mm

KEL-DP-E 86|13 gy

Part No.	43581	Height	12 mm
EAN	4251269310263	Mounting height	5 mm
Package quantity	10	Cut-out size	85 × 18 mm
For max. no. of cables	13	For min. wall thickness	1,5 mm
Colour	grau (ähnlich RAL 7035)	For max. wall thickness	2,5 mm
Length	102 mm	Clamping range	11 x 1 - 8.3 mm
Width	25 mm		2 x 1 - 6.5 mm

KEL-DP-E 86|13 bk


Part No.	50581	Height	12 mm
EAN	4251269314988	External diameter	5 mm
Package quantity	10	Mounting height	85 × 18 mm
For max. no. of cables	13	Cut-out size	1,5 mm
Colour	schwarz	For min. wall thickness	1,5 mm
Length	102 mm	For max. wall thickness	2,5 mm
Width	25 mm	Clamping range	11 x 1 - 8.3 mm
			2 x 1 - 6.5 mm

KEL-DP-E 86|17 gy


Part No.	43583	Height	12 mm
EAN	4251269310270	Mounting height	5 mm
Package quantity	10	Cut-out size	85 x 18 mm
For max. no. of cables	17	For min. wall thickness	1,5 mm
Colour	grau (ähnlich RAL 7035)	For max. wall thickness	2,5 mm
Length	102 mm	Clamping range	16 x 1 - 6.5 mm
Width	25 mm		1 x 1 - 12.1 mm

KEL-DP-E 86|17 bk


Part No.	50583	Height	12 mm
EAN	4251269314995	Mounting height	5 mm
Package quantity	10	For min. wall thickness	1,5 mm
For max. no. of cables	17	For max. wall thickness	2,5 mm
Colour	schwarz	Clamping range	16 x 1 - 6.5 mm
Length	102 mm		1 x 1 - 12.1 mm
Width	25 mm		

KEL-DP-E 112|16 gy


Part No.	43576	Height	12 mm
EAN	4251269310249	Mounting height	5 mm
Package quantity	10	Cut-out size	112 x 18 mm
For max. no. of cables	16	For min. wall thickness	1,5 mm
Colour	grau (ähnlich RAL 7035)	For max. wall thickness	2,5 mm
Length	128 mm	Clamping range	4 x 1 - 6.5 mm
Width	25 mm		11 x 1 - 8.3 mm
			1 x 1 - 12.1 mm

KEL-DP-E 112|16 bk

Part No.	50576	Height	12 mm
EAN	4251269314964	Mounting height	5 mm
Package quantity	10	Cut-out size	112 x 18 mm
For max. no. of cables	16	For min. wall thickness	1,5 mm
Colour	schwarz	For max. wall thickness	2,5 mm
Length	128 mm	Clamping range	4 x 1 - 6.5 mm
Width	25 mm		11 x 1 - 8.3 mm
			1 x 1 - 12.1 mm

KEL-DP-E 112|21 gy

Part No.	43578	Height	12 mm
EAN	4251269310256	Mounting height	5 mm
Package quantity	10	Cut-out size	112 x 18 mm
For max. no. of cables	21	For min. wall thickness	1,5 mm
Colour	grau (ähnlich RAL 7035)	For max. wall thickness	2,5 mm
Length	128 mm	Clamping range	16 x 1 - 6.5 mm
Width	25 mm		4 x 1 - 8.3 mm
			1 x 1 - 12.1 mm

KEL-DP-E 112|21 bk

Part No.	50578	Height	12 mm
EAN	4251269314971	Mounting height	5 mm
Package quantity	10	Cut-out size	112 x 18 mm
For max. no. of cables	21	For min. wall thickness	1,5 mm
Colour	schwarz	For max. wall thickness	2,5 mm
Length	128 mm	Clamping range	16 x 1 - 6.5 mm
Width	25 mm		4 x 1 - 8.3 mm
			1 x 1 - 12.1 mm

KEL-DP-S 69|8 gy

Part No.	43591	Height	12 mm
EAN	4251269310300	Mounting height	5 mm
Package quantity	10	Cut-out size	69 × 10 mm
For max. no. of cables	8	For min. wall thickness	1,5 mm
Colour	grau (ähnlich RAL 7035)	For max. wall thickness	2,5 mm
Length	78 mm	Clamping range	8 x 1 - 7.5 mm
Width	19,5 mm		

KEL-DP-S 69|8 bk

Part No.	50591	Height	12 mm
EAN	4251269315022	Mounting height	5 mm
Package quantity	10	Cut-out size	69 × 10 mm
For max. no. of cables	8	For min. wall thickness	1,5 mm
Colour	schwarz	For max. wall thickness	2,5 mm
Length	78 mm	Clamping range	8 x 1 - 7.5 mm
Width	19,5 mm		