

KEL-DPZ multi-membrane cable entry plates

with high cable density / IP66 / UL Type 12



KEL-DPZ cable entry plates are designed to route and seal a large number of cables without connectors, hoses or fibre optics (from 1.5 mm to 22 mm in diameter) in limited space.

The KEL-DPZ products are a cost and time saving alternative to traditional cable glands.

The assembly of the KEL-DPZ with unterminated cables or pneumatic hoses can be done quickly and easily. Simply make a small hole in the thin membrane, push the cables through. The KEL-DPZ provides strain relief and protection up to IP66 / UL type 12.

The KEL-DPZ matches exactly the cut-out dimensions of 6-, 10-, 16- and 24-pin standard industrial connectors. The size KEL-DPZ-B fits on cut-outs 46 x 46 mm. The very compact size KEL-DPZ-E is designed for routing cables in very small spaces. Through a cut-out of only 18 x 112 mm, up to 21 cables can be easily routed and sealed.

Especially for Rittal KL / KX terminal boxes the size KEL-DPZ-KX/KL was created. It was designed for routing up to 72 cables through the pre-cut standard cut-out. The self-tapping screws required for assembly are included in the scope of delivery.

ST-B Plugs can be used for sealing pierced membranes if cables have been removed.

IP54



IP55



IP64



RoHS compliant

IP65



IP66



Made in Germany



Specifications


| | |
|------------------------------|---|
| IP rating (EN 60529) | IP54, IP55, IP64, IP65, IP66 |
| UL Type (UL 50E) | UL Type 12 |
| Material | Elastomer Base frame: Polyamide Base frame: Stainless steel (V2A) |
| Flame class | UL94-V0, self-extinguishing |
| Operating temperature | -40 C° to 100 C° |
| Properties | silicone free, halogen free |
| Mounting options | Screw type mounting |

Advantages & benefits

- Fast mounting
- High cable density
- Certified protection IP66 (acc. to EN 60529)
- Automatic sealing and strain relief for the cable
- Hygienic design - free of dirt-collecting recesses
- Space-saving shape


Product types & sizes

KEL-DPZ 24|14 gy




| | | | |
|------------------------|--------------------------------|----------------------|--------------------------|
| Part No. | 43700 | Height | 14 mm |
| EAN | 4251269310461 | Mounting height | 14 mm |
| Package quantity | 10 | Cut-out size | 112 x 36 mm |
| For max. no. of cables | 14 | No. of screw holes | 4 |
| Colour | grau (ähnlich RAL 7035) | Diam. of screw holes | 5,9 mm |
| Length | 147 mm | Clamping range | 10 x 3.2 - 6.5 mm |
| Width | 58 mm | | 4 x 16 - 22 mm |

KEL-DPZ 24|14 bk




| | | | |
|------------------------|----------------------|----------------------|--------------------------|
| Part No. | 50700 | Height | 14 mm |
| EAN | 4251269315084 | Mounting height | 14 mm |
| Package quantity | 10 | Cut-out size | 112 x 36 mm |
| For max. no. of cables | 14 | No. of screw holes | 4 |
| Colour | schwarz | Diam. of screw holes | 5,9 mm |
| Length | 147 mm | Clamping range | 10 x 3.2 - 6.5 mm |
| Width | 58 mm | | 4 x 16 - 22 mm |

KEL-DPZ 24|15 gy


Part No. **43720**
 EAN **4251269310508**
 Package quantity **10**
 For max. no. of cables **15**
 Colour **grau (ähnlich RAL 7035)**
 Length **147 mm**
 Width **58 mm**

Height **14 mm**
 Mounting height **14 mm**
 Cut-out size **112 x 36 mm**
 No. of screw holes **4**
 Diam. of screw holes **5,9 mm**
 Clamping range **15 x 7.2 - 12 mm**

KEL-DPZ 24|15 bk


Part No. **50720**
 EAN **4251269315121**
 Package quantity **10**
 For max. no. of cables **15**
 Colour **schwarz**
 Length **147 mm**
 Width **58 mm**

Height **14 mm**
 Mounting height **14 mm**
 Cut-out size **112 x 36 mm**
 No. of screw holes **4**
 Diam. of screw holes **5,9 mm**
 Clamping range **15 x 7.2 - 12 mm**

KEL-DPZ 24|16 gy


Part No. **43725**
 EAN **4251269310515**
 Package quantity **10**
 For max. no. of cables **16**
 Colour **grau (ähnlich RAL 7035)**
 Length **147 mm**
 Width **58 mm**

Height **14 mm**
 Mounting height **14 mm**
 Cut-out size **112 x 36 mm**
 No. of screw holes **4**
 Diam. of screw holes **5,9 mm**
 Clamping range **8 x 3.2 - 6.5 mm**
4 x 5 - 9.7 mm
2 x 9 - 16.2 mm
2 x 16 - 22 mm

KEL-DPZ 24|16 bk


Part No. **50725**
 EAN **4251269315138**
 Package quantity **10**
 For max. no. of cables **16**
 Colour **schwarz**
 Length **147 mm**
 Width **58 mm**

Height **14 mm**
 Mounting height **14 mm**
 Cut-out size **112 x 36 mm**
 No. of screw holes **4**
 Diam. of screw holes **5,9 mm**
 Clamping range **8 x 3.2 - 6.5 mm**
4 x 5 - 9.7 mm
2 x 9 - 16.2 mm
2 x 16 - 22 mm

KEL-DPZ 24|17 gy


Part No. **43705**
 EAN **4251269310478**
 Package quantity **10**
 For max. no. of cables **17**
 Colour **grau (ähnlich RAL 7035)**
 Length **147 mm**
 Width **58 mm**

Height **14 mm**
 Mounting height **14 mm**
 Cut-out size **112 x 36 mm**
 No. of screw holes **4**
 Diam. of screw holes **5,9 mm**
 Clamping range **6 x 3.2 - 6.5 mm**
6 x 5 - 10.2 mm
5 x 9 - 16.2 mm


KEL-DPZ 24|17 bk

Part No. **50705**
 EAN **4251269315091**
 Package quantity **10**
 For max. no. of cables **17**
 Colour **schwarz**
 Length **147 mm**
 Width **58 mm**


Height **14 mm**
 Mounting height **14 mm**
 Cut-out size **112 x 36 mm**
 No. of screw holes **4**
 Diam. of screw holes **5,9 mm**
 Clamping range **6 x 3.2 - 6.5 mm**
6 x 5 - 10.2 mm
5 x 9 - 16.2 mm

KEL-DPZ 24|25 gy


| | | | |
|------------------------|--------------------------------|----------------------|---|
| Part No. | 43710 | Height | 14 mm |
| EAN | 4251269310485 | Mounting height | 14 mm |
| Package quantity | 10 | Cut-out size | 112 x 36 mm |
| For max. no. of cables | 25 | No. of screw holes | 4 |
| Colour | grau (ähnlich RAL 7035) | Diam. of screw holes | 5,9 mm |
| Length | 147 mm | Clamping range | 12 x 3.2 - 6.5 mm |
| Width | 58 mm | | 7 x 4.8 - 9.7 mm 6 x 7.5 - 12 mm |

KEL-DPZ 24|25 bk


| | | | |
|------------------------|----------------------|----------------------|---|
| Part No. | 50710 | Height | 14 mm |
| EAN | 4251269315107 | Mounting height | 14 mm |
| Package quantity | 10 | Cut-out size | 112 x 36 mm |
| For max. no. of cables | 25 | No. of screw holes | 4 |
| Colour | schwarz | Diam. of screw holes | 5,9 mm |
| Length | 147 mm | Clamping range | 12 x 3.2 - 6.5 mm |
| Width | 58 mm | | 7 x 4.8 - 9.7 mm 6 x 7.5 - 12 mm |

KEL-DPZ 24|26 gy


| | | | |
|------------------------|--------------------------------|----------------------|-------------------------|
| Part No. | 43711 | Height | 14 mm |
| EAN | 4251269321498 | Mounting height | 14 mm |
| Package quantity | 10 | Cut-out size | 112 x 36 mm |
| For max. no. of cables | 26 | No. of screw holes | 4 |
| Colour | grau (ähnlich RAL 7035) | Diam. of screw holes | 5,9 mm |
| Length | 147 mm | Clamping range | 26 x 5 - 10.2 mm |
| Width | 58 mm | | |

KEL-DPZ 24|26 bk

| | | | |
|------------------------|----------------------|----------------------|-------------------------|
| Part No. | 50711 | Height | 14 mm |
| EAN | 4251269321504 | Mounting height | 14 mm |
| Package quantity | 10 | Cut-out size | 112 x 36 mm |
| For max. no. of cables | 26 | No. of screw holes | 4 |
| Colour | schwarz | Diam. of screw holes | 5,9 mm |
| Length | 147 mm | Clamping range | 26 x 5 - 10.2 mm |
| Width | 58 mm | | |

KEL-DPZ 24|32 gy

| | | | |
|------------------------|--------------------------------|----------------------|--|
| Part No. | 43730 | Height | 14 mm |
| EAN | 4251269310522 | Mounting height | 14 mm |
| Package quantity | 10 | Cut-out size | 112 x 36 mm |
| For max. no. of cables | 32 | No. of screw holes | 4 |
| Colour | grau (ähnlich RAL 7035) | Diam. of screw holes | 5,9 mm |
| Length | 147 mm | Clamping range | 21 x 3.2 - 6.5 mm |
| Width | 58 mm | | 8 x 5 - 10.2 mm 3 x 7.5 - 12 mm |

KEL-DPZ 24|32 bk


| | | | |
|------------------------|----------------------|----------------------|--|
| Part No. | 50730 | Height | 14 mm |
| EAN | 4251269315145 | Mounting height | 14 mm |
| Package quantity | 10 | Cut-out size | 112 x 36 mm |
| For max. no. of cables | 32 | No. of screw holes | 4 |
| Colour | schwarz | Diam. of screw holes | 5,9 mm |
| Length | 147 mm | Clamping range | 21 x 3.2 - 6.5 mm |
| Width | 58 mm | | 8 x 5 - 10.2 mm 3 x 7.5 - 12 mm |

KEL-DPZ 24|42 gy


| | | | |
|------------------------|--------------------------------|----------------------|--------------------------|
| Part No. | 43715 | Height | 14 mm |
| EAN | 4251269310492 | Mounting height | 14 mm |
| Package quantity | 10 | Cut-out size | 112 x 36 mm |
| For max. no. of cables | 42 | No. of screw holes | 4 |
| Colour | grau (ähnlich RAL 7035) | Diam. of screw holes | 5,9 mm |
| Length | 147 mm | Clamping range | 42 x 3.2 - 6.5 mm |
| Width | 58 mm | | |

KEL-DPZ 24|42 bk


| | | | |
|------------------------|----------------------|----------------------|--------------------------|
| Part No. | 50715 | Height | 14 mm |
| EAN | 4251269315114 | Mounting height | 14 mm |
| Package quantity | 10 | Cut-out size | 112 x 36 mm |
| For max. no. of cables | 42 | No. of screw holes | 4 |
| Colour | schwarz | Diam. of screw holes | 5,9 mm |
| Length | 147 mm | Clamping range | 42 x 3.2 - 6.5 mm |
| Width | 58 mm | | |

KEL-DPZ 24|121 gy


| | | | |
|------------------------|--------------------------------|----------------------|---------------------------|
| Part No. | 43735 | Height | 14 mm |
| EAN | 4251269310560 | Mounting height | 14 mm |
| Package quantity | 10 | Cut-out size | 112 x 36 mm |
| For max. no. of cables | 121 | No. of screw holes | 4 |
| Colour | grau (ähnlich RAL 7035) | Diam. of screw holes | 5,9 mm |
| Length | 147 mm | Clamping range | 119 x 1.5 - 2.6 mm |
| Width | 58 mm | | 2 x 2.5 - 5 mm |

KEL-DPZ 24|121 bk


| | | | |
|------------------------|----------------------|----------------------|---------------------------|
| Part No. | 50735 | Height | 14 mm |
| EAN | 4251269315183 | Mounting height | 14 mm |
| Package quantity | 10 | Cut-out size | 112 x 36 mm |
| For max. no. of cables | 121 | No. of screw holes | 4 |
| Colour | schwarz | Diam. of screw holes | 5,9 mm |
| Length | 147 mm | Clamping range | 119 x 1.5 - 2.6 mm |
| Width | 58 mm | | 2 x 2.5 - 5 mm |

KEL-DPZ 16|11 gy


| | | | |
|------------------------|--------------------------------|----------------------|-------------------------|
| Part No. | 43815 | Height | 14 mm |
| EAN | 4251269320507 | Mounting height | 14 mm |
| Package quantity | 10 | Cut-out size | 86 x 36 mm |
| For max. no. of cables | 11 | No. of screw holes | 4 |
| Colour | grau (ähnlich RAL 7035) | Diam. of screw holes | 5,8 mm |
| Length | 120 mm | Clamping range | 11 x 7.5 - 12 mm |
| Width | 58 mm | | |

KEL-DPZ 16|14 gy

| | | | |
|------------------------|--------------------------------|----------------------|-------------------------|
| Part No. | 43816 | Height | 14 mm |
| EAN | 4251269320514 | Mounting height | 14 mm |
| Package quantity | 10 | Cut-out size | 86 x 36 mm |
| For max. no. of cables | 14 | No. of screw holes | 4 |
| Colour | grau (ähnlich RAL 7035) | Diam. of screw holes | 5,8 mm |
| Length | 120 mm | Clamping range | 5 x 3.2 - 6.5 mm |
| Width | 58 mm | | 5 x 5 - 10.2 mm |
| | | | 4 x 9 - 16.2 mm |

KEL-DPZ 16|20 gy


| | | | |
|------------------------|--------------------------------|----------------------|--|
| Part No. | 43817 | Height | 14 mm |
| EAN | 4251269320521 | Mounting height | 14 mm |
| Package quantity | 10 | Cut-out size | 86 × 36 mm |
| For max. no. of cables | 20 | No. of screw holes | 4 |
| Colour | grau (ähnlich RAL 7035) | Diam. of screw holes | 5,8 mm |
| Length | 120 mm | Clamping range | 11 x 3.2 - 6.5 mm |
| Width | 58 mm | | 5 x 5 - 10.2 mm 4 x 7.5 - 12 mm |

KEL-DPZ 16|25 gy


| | | | |
|------------------------|--------------------------------|----------------------|--|
| Part No. | 43818 | Height | 14 mm |
| EAN | 4251269320538 | Mounting height | 14 mm |
| Package quantity | 10 | Cut-out size | 86 × 36 mm |
| For max. no. of cables | 25 | No. of screw holes | 4 |
| Colour | grau (ähnlich RAL 7035) | Diam. of screw holes | 5,8 mm |
| Length | 120 mm | Clamping range | 16 x 3.2 - 6.5 mm |
| Width | 58 mm | | 6 x 5 - 10.2 mm 3 x 7.5 - 12 mm |

KEL-DPZ 16|34 gy


| | | | |
|------------------------|--------------------------------|----------------------|--------------------------|
| Part No. | 43819 | Height | 14 mm |
| EAN | 4251269320545 | Mounting height | 14 mm |
| Package quantity | 10 | Cut-out size | 86 × 36 mm |
| For max. no. of cables | 34 | No. of screw holes | 4 |
| Colour | grau (ähnlich RAL 7035) | Diam. of screw holes | 5,8 mm |
| Length | 120 mm | Clamping range | 34 x 3.2 - 6.5 mm |
| Width | 58 mm | | |

KEL-DPZ 10|8 gy


| | | | |
|------------------------|--------------------------------|----------------------|------------------------|
| Part No. | 43800 | Height | 14 mm |
| EAN | 4251269324086 | Mounting height | 14 mm |
| Package quantity | 10 | Cut-out size | 65 × 36 mm |
| For max. no. of cables | 8 | No. of screw holes | 4 |
| Colour | grau (ähnlich RAL 7035) | Diam. of screw holes | 5,8 mm |
| Length | 98,3 mm | Clamping range | 8 x 7.5 - 12 mm |
| Width | 58 mm | | |

KEL-DPZ 10|14 gy


| | | | |
|------------------------|--------------------------------|----------------------|-------------------------|
| Part No. | 43801 | Height | 14 mm |
| EAN | 4251269324093 | Mounting height | 14 mm |
| Package quantity | 10 | Cut-out size | 65 × 36 mm |
| For max. no. of cables | 14 | No. of screw holes | 4 |
| Colour | grau (ähnlich RAL 7035) | Diam. of screw holes | 5,8 mm |
| Length | 98,3 mm | Clamping range | 14 x 5 - 10.2 mm |
| Width | 58 mm | | |

KEL-DPZ 10|15 gy


| | | | |
|------------------------|--------------------------------|----------------------|-------------------------|
| Part No. | 43802 | Height | 14 mm |
| EAN | 4251269324109 | Mounting height | 14 mm |
| Package quantity | 10 | Cut-out size | 65 × 36 mm |
| For max. no. of cables | 15 | No. of screw holes | 4 |
| Colour | grau (ähnlich RAL 7035) | Diam. of screw holes | 5,8 mm |
| Length | 98,3 mm | Clamping range | 5 x 3.2 - 6.5 mm |
| Width | 58 mm | | 10 x 5 - 10.2 mm |

KEL-DPZ 10|16 gy

| | | | |
|------------------------|--------------------------------|----------------------|--|
| Part No. | 43803 | Height | 14 mm |
| EAN | 4251269324116 | Mounting height | 14 mm |
| Package quantity | 10 | Cut-out size | 65 × 36 mm |
| For max. no. of cables | 16 | No. of screw holes | 4 |
| Colour | grau (ähnlich RAL 7035) | Diam. of screw holes | 5,8 mm |
| Length | 98,3 mm | Clamping range | 9 x 3.2 - 6.5 mm |
| Width | 58 mm | | 4 x 5 - 10.2 mm 3 x 7.5 - 12 mm |

KEL-DPZ 10|26 gy


| | | | |
|------------------------|--------------------------------|----------------------|--------------------------|
| Part No. | 43804 | Height | 14 mm |
| EAN | 4251269324123 | Mounting height | 14 mm |
| Package quantity | 10 | Cut-out size | 65 × 36 mm |
| For max. no. of cables | 26 | No. of screw holes | 4 |
| Colour | grau (ähnlich RAL 7035) | Diam. of screw holes | 5,8 mm |
| Length | 98,3 mm | Clamping range | 26 x 3.2 - 6.5 mm |
| Width | 58 mm | | |

KEL-DPZ 6|12 gy


| | | | |
|------------------------|--------------------------------|----------------------|------------------------|
| Part No. | 43809 | Height | 7,5 mm |
| EAN | 4251269321061 | Mounting height | 7,5 mm |
| Package quantity | 10 | Cut-out size | 52 × 36 mm |
| For max. no. of cables | 12 | No. of screw holes | 4 |
| Colour | grau (ähnlich RAL 7035) | Diam. of screw holes | 4,5 |
| Length | 85,5 mm | Clamping range | 12 x 4.5 - 8 mm |
| Width | 54 mm | | |

KEL-DPZ 6|18 gy


| | | | |
|------------------------|--------------------------------|----------------------|--------------------------|
| Part No. | 43812 | Height | 7,5 mm |
| EAN | 4251269321030 | Mounting height | 7,5 mm |
| Package quantity | 10 | Cut-out size | 52 × 36 mm |
| For max. no. of cables | 18 | No. of screw holes | 4 |
| Colour | grau (ähnlich RAL 7035) | Diam. of screw holes | 4,5 |
| Length | 85,5 mm | Clamping range | 18 x 3.2 - 6.5 mm |
| Width | 54 mm | | |

KEL-DPZ 6|18-1 gy

| | | | |
|------------------------|--------------------------------|----------------------|---|
| Part No. | 43811 | Height | 7,5 mm |
| EAN | 4251269321023 | Mounting height | 7,5 mm |
| Package quantity | 10 | Cut-out size | 52 × 36 mm |
| For max. no. of cables | 18 | No. of screw holes | 4 |
| Colour | grau (ähnlich RAL 7035) | Diam. of screw holes | 4,5 |
| Length | 85,5 mm | Clamping range | 6 x 2.5 - 5 mm 5 x 3.2 - 6.5 mm 7 x 4.5 - 8 mm |
| Width | 54 mm | | |


KEL-DPZ 6|23 gy

| | | | |
|------------------------|--------------------------------|----------------------|--|
| Part No. | 43813 | Height | 7,5 mm |
| EAN | 4251269321047 | Mounting height | 7,5 mm |
| Package quantity | 10 | Cut-out size | 52 × 36 mm |
| For max. no. of cables | 23 | No. of screw holes | 4 |
| Colour | grau (ähnlich RAL 7035) | Diam. of screw holes | 4,5 |
| Length | 85,5 mm | Clamping range | 10 x 3.2 - 6.5 mm 13 x 2.5 - 5 mm |
| Width | 54 mm | | |

KEL-DPZ 6|27 gy


Part No. **43814**
 EAN **4251269321054**
 Package quantity **10**
 For max. no. of cables **27**
 Colour **grau (ähnlich RAL 7035)**
 Length **85,5 mm**
 Width **54 mm**

Height **7,5 mm**
 Mounting height **7,5 mm**
 Cut-out size **52 × 36 mm**
 No. of screw holes **4**
 Diam. of screw holes **4,5**
 Clamping range **27 x 2.5 - 5 mm**

KEL-DPZ-B 13 gy


Part No. **43794**
 EAN **4251269310690**
 Package quantity **10**
 For max. no. of cables **13**
 Colour **grau (ähnlich RAL 7035)**
 Length **72,8 mm**
 Width **58 mm**

Height **10 mm**
 Mounting height **10 mm**
 Cut-out size **46 × 46 mm**
 No. of screw holes **4**
 Diam. of screw holes **5,7 mm**
 Clamping range **8 x 3.2 - 6.5 mm**
4 x 5 - 10.2 mm
1 x 16 - 22 mm

KEL-DPZ-B 13 bk


Part No. **50794**
 EAN **4251269315312**
 Package quantity **10**
 For max. no. of cables **13**
 Colour **schwarz**
 Length **72,8 mm**
 Width **58 mm**

Height **10 mm**
 Mounting height **10 mm**
 Cut-out size **46 × 46 mm**
 No. of screw holes **4**
 Diam. of screw holes **5,7 mm**
 Clamping range **8 x 3.2 - 6.5 mm**
4 x 5 - 10.2 mm
1 x 16 - 22 mm

KEL-DPZ-B 17 gy


Part No. **43796**
 EAN **4251269310706**
 Package quantity **10**
 For max. no. of cables **17**
 Colour **grau (ähnlich RAL 7035)**
 Length **72,8 mm**
 Width **58 mm**

Height **10 mm**
 Mounting height **10 mm**
 Cut-out size **46 × 46 mm**
 No. of screw holes **4**
 Diam. of screw holes **5,7 mm**
 Clamping range **10 x 3.2 - 6.5 mm**
4 x 5 - 10.2 mm
2 x 7.5 - 12 mm
1 x 9 - 16.2 mm

KEL-DPZ-B 17 bk


Part No. **50796**
 EAN **4251269315329**
 Package quantity **10**
 For max. no. of cables **17**
 Colour **schwarz**
 Length **72,8 mm**
 Width **58 mm**

Height **10 mm**
 Mounting height **10 mm**
 Cut-out size **46 × 46 mm**
 No. of screw holes **4**
 Diam. of screw holes **5,7 mm**
 Clamping range **10 x 3.2 - 6.5 mm**
4 x 5 - 10.2 mm
2 x 7.5 - 12 mm
1 x 9 - 16.2 mm

KEL-DPZ-B 25 gy

Part No. **43798**
 EAN **4251269310713**
 Package quantity **10**
 For max. no. of cables **25**
 Colour **grau (ähnlich RAL 7035)**
 Length **72,8 mm**
 Width **58 mm**

Height **10 mm**
 Mounting height **10 mm**
 Cut-out size **46 × 46 mm**
 No. of screw holes **4**
 Diam. of screw holes **5,7 mm**
 Clamping range **25 x 3.2 - 6.5 mm**

KEL-DPZ-B 25 bk

Part No. **50798**
 EAN **4251269315336**
 Package quantity **10**
 For max. no. of cables **25**
 Colour **schwarz**
 Length **72,8 mm**
 Width **58 mm**

Height **10 mm**
 Mounting height **10 mm**
 Cut-out size **46 x 46 mm**
 No. of screw holes **4**
 Diam. of screw holes **5,7 mm**
 Clamping range **25 x 3.2 - 6.5 mm**

KEL-DPZ-E 112|7 gy

Part No. **43780**
 EAN **4251269310676**
 Package quantity **10**
 For max. no. of cables **7**
 Colour **grau (ähnlich RAL 7035)**
 Length **147 mm**
 Width **29 mm**

Height **14 mm**
 Mounting height **14 mm**
 No. of screw holes **2**
 Diam. of screw holes **5,7 mm**
 Clamping range **7 x 7.5 - 12 mm**

KEL-DPZ-E 112|7 bk

Part No. **50780**
 EAN **4251269315299**
 Package quantity **10**
 For max. no. of cables **7**
 Colour **schwarz**
 Length **147 mm**
 Width **29 mm**

Height **14 mm**
 Mounting height **14 mm**
 No. of screw holes **2**
 Diam. of screw holes **5,7 mm**
 Clamping range **7 x 7.5 - 12 mm**

KEL-DPZ-E 112|21 gy


Part No. **43790**
 EAN **4251269310683**
 Package quantity **10**
 For max. no. of cables **21**
 Colour **grau (ähnlich RAL 7035)**
 Length **147 mm**
 Width **29 mm**

Height **14 mm**
 Mounting height **14 mm**
 No. of screw holes **2**
 Diam. of screw holes **5,7 mm**
 Clamping range **21 x 3.2 - 6.5 mm**

KEL-DPZ-E 112|21 bk


Part No. **50790**
 EAN **4251269315305**
 Package quantity **10**
 For max. no. of cables **21**
 Colour **schwarz**
 Length **147 mm**
 Width **29 mm**

Height **14 mm**
 Mounting height **14 mm**
 No. of screw holes **2**
 Diam. of screw holes **5,7 mm**
 Clamping range **21 x 3.2 - 6.5 mm**

KEL-DPZ-KX/KL 72 gy

Part No. **43675.001**
 EAN **4251269310447**
 Package quantity **1**
 For max. no. of cables **72**
 Colour **grau (ähnlich RAL 7035)**
 Length **221 mm**
 Width **90 mm**

Height **4 mm**
 Mounting height **4 mm**
 Cut-out size **192 x 62 mm**
 No. of screw holes **6**
 Diam. of screw holes **5,1 mm**
 Clamping range **42 x 3.2 - 6.5 mm**
21 x 5 - 10.2 mm
6 x 9 - 16.2 mm
3 x 16 - 22 mm

KEL-DPZ-KX/KL 72 bk

| | | | |
|------------------------|----------------------|----------------------|--------------------------|
| Part No. | 43675.101 | Height | 4 mm |
| EAN | 4251269310454 | Mounting height | 4 mm |
| Package quantity | 1 | Cut-out size | 192 x 62 mm |
| For max. no. of cables | 72 | No. of screw holes | 6 |
| Colour | schwarz | Diam. of screw holes | 5,1 mm |
| Length | 221 mm | Clamping range | 42 x 3.2 - 6.5 mm |
| Width | 90 mm | | 21 x 5 - 10.2 mm |
| | | | 6 x 9 - 16.2 mm |
| | | | 3 x 16 - 22 mm |

icotek[®]
smart cable management