

## EPIC® H-B 16 TGB

Housing design H-B. The industry standard.

The robust universal metal housing for use in the plastics industry consists of 2 double levers and a direct cable entry.

### Info

Non-slip ridges for comfortable disconnecting  
 For connection with counterpart with integrated cover  
 NEMA 250, UL50E: 12, 4 (latched)



- Supplementary automation components from Lapp
- Mechanical and plant engineering
- Mechanical resistance
- Robust
- Waterproof

### Benefits

The housing standard. Wide choice for all applications  
 Double lever version with 2 levers for increased safety

### Application range

Plant engineering  
 Light & sound technology  
 Plastics industry

Last Update (08.11.2024)

©2024 Lapp Group - Technical changes reserved

Product Management [www.lappkabel.de](http://www.lappkabel.de)

You can find the current technical data in the corresponding data sheet.

PN 0456 / 02\_03.16

## EPIC® H-B 16 TGB

### Product features

Hood, low version  
Dual levers  
Straight cable entry  
Versions with / without neck

### Technical Data

Classification ETIM 5:	ETIM 5.0 Class-ID: EC000437 ETIM 5.0 Class-Description: Housing for industrial connectors
Classification ETIM 6:	ETIM 6.0 Class-ID: EC000437 ETIM 6.0 Class-Description: Housing for industrial connectors
Material:	Housing: powder-coated aluminium alloy, grey Lever: zinc-plated steel Sealing: NBR
Protection rating:	IP 65 (latched)
VDE-tested:	Certified production control: VDE-REG. no.: B437 UL-tested: UL File Number: E75770
Temperature range:	-40°C to +100°C, short-term up to +125°C

### Note

Photographs and graphics are not to scale and do not represent detailed images of the respective products.  
Prices are net prices without VAT and surcharges. Sale to business customers only.



## EPIC® H-B 16 TGB

Article number	Article description	M	PG	Neck	Packaging unit
H-B housing: hood (straight cable entry, double lever)					
10081000	H-B 16 TGB 21	-	21	yes	5
19081000	H-B 16 TGB M25	25	-	-	5

Last Update (08.11.2024)

©2024 Lapp Group - Technical changes reserved

Product Management [www.lappkabel.de](http://www.lappkabel.de)

You can find the current technical data in the corresponding data sheet.

PN 0456 / 02\_03.16