


article#	413-6f66
article description	CEE-flanged socket sloping (62x68mm) 16A 3p 6h IP44/IP54 locking
description long	CEE-flanged socket sloping (62x68mm) 16A 3p 6h IP44/IP54 locking housing material: PA6 rated current: 16A number of poles: 3 (2P+PE) clock-position: 6h rated voltage/frequency: 200-250V~ / 50+60Hz contacts: brass connection technology: screw terminals dimensions (flange/fixing center): 62x68 mm / 47x47 mm lockable with padlock IP protection class: IP44/IP54
GTIN (EAN)	9003399330056
country of origin	AT
customs number	85366990
net weight	0.111 kg
packaging quantity	10
minimum order quantity	10



ETIM 9.0	EC001317
IEC-amperage	16 A
Voltage according to EN 60309-2	230 V (50+60 Hz) blue
Number of poles	3
Clock hour position	6 h
Identification colour	Blue
Degree of protection (IP)	IP44
Connection system	Screwed terminal
Angle of plug	Angled
Material	Plastic
Contact material	CuZn
Surface treatment contacts	Untreated
Flange size vertical	68 mm
Drill hole distance vertical	47 mm
Flange size horizontal	62 mm
Drill hole distance horizontal	47 mm



a	62 mm
b	68 mm
c	47 mm
d	47 mm
e	38 mm
f	46 mm
g	51 mm
h	61 mm
i	5,5 mm
j	77 mm
k	99 mm
wire flexible	1-2,5 mm ²
wire solid	1-4 mm ²
contact screws	100 Ncm
dismantling length	50 mm
stripping length	10-12 mm
ambient temperature	-25 – 40 °C
temperature resistance	-25 – 80 °C





<https://www.pcelectric.at/shop/en/?func=detail&artnr=413-6f66>

