

Caravan plugs and sockets

PCE caravan devices are perfectly designed for the use on camp sites, caravan and marinas.

- ✓ 16A, 3-pole, 6h, 230V
- ✓ IP rating: IP44
- ✓ Contacts: brass or nickel-plated
- ✓ Solid design
- ✓ Different versions available

Caravan products

- plug and connector
- flanged socket lockable
- wall mounted plug
- angled plug, angled connector
- adapters
- distribution products
- energy pillars (see page 312)



Caravan plugs and sockets for camping areas




Caravan Plug **SHARK**

- 16A 3p 230V
- contacts: brass
 - to order nickel-plated contacts please add a "v" e.g. 013-6v
- technical data see Plugs on page 18

IP44 splashproof

013-6

pack.unit: 10




Caravan Wall mounted plug

- 16A 3p 230V
- contacts: brass
 - to order nickel-plated contacts please add a "v" e.g. 513-6dv
- with hinged lid
- technical data see wall mounted plugs page 26

IP44 splashproof

513-6d

pack.unit: 10



height= 92mm
angle= 15°



Caravan Connector


SHARK

- 16A 3p 230V
- contacts: brass
 - to order nickel-plated contacts please add a "v" e.g. 213-6v
- technical data see connectors on page 52

IP44 splashproof

213-6

pack.unit: 10




Caravan Angled connector

- 16A 3p 230V
- contacts: brass

IP44 splashproof

8213-6

pack.unit: 10




Flanged socket sloping with auxiliary switch

- with auxiliary switch
- flanged socket sloping with screw terminals
- housing materials: PA6
- flange 70 x 85 mm - fixing center 50 x 56 mm
- contacts: brass
 - to order nickel-plated contacts please add a „v“ e.g.: 413-6hv

IP44/54 splash- and dustproof

413-6h

pack.unit: 10




other versions and more technical information see page 92

Flanged socket sloping lockable

- 16A 3p 230V
- flange 62 x 68 mm - fixing center 47 x 47 mm
- lockable with padlock

IP44 splashproof



413-6f66

pack.unit: 10



Caravan Adapter

- with safety socket acc. Austr./German system
- also available with French/Belgian and British socket outlet
- nickel-plated contacts

IP44 splashproof

Entry:
CEE-plug 16A 3p 230V

Outlet:
1 safety socket 16A 2p+E 250V

9433100*

pack.unit: 10



Caravan Adapter with cable

- 16A 3p 230V

IP44 splashproof

80cm cable H07RN-F 3G1,5 with CEE-plug 16A 3p 230V and solid rubber connector with lid acc. to Austr./German system 16A 2p+E 250V

9007

pack.unit: 10

80cm cable H07RN-F 3G1,5 with CEE-plug 16A 3p 230V and rubber connector with lid acc. to French/Belg. system 16A 2p+E 250V

900726

pack.unit: 10



Caravan Combination Series St. Anton 6F

IP44 splashproof

Entry:
1,5m cable H07RN-F3G1,5 with CEE-plug 16A 3p 230V

Outlet:
1 safety socket acc. Austr./German system 16A 2p+E 250V

Protection:
1 RCD 25A 0,03A

9439125

pack.unit: 1



symbolic picture

* Export version (usage in Austria and Germany not allowed!)

