



CONTAINER PLUGS AND SOCKETS

Container plugs and sockets

PCE container plugs and sockets are specially designed for the rough condition on reefer-containers, at harbors and terminals.

- ✓ 32A, 4-pole, 3h, 440V
- ✓ IP rating IP67
- ✓ nickel-plated contacts
- ✓ robust design
- ✓ external, centric cable gland
- ✓ with Lloyd's Register Type Approval*



Container products:

- plug* and connector
- wall socket
- flanged socket straight/sloping
- switched interlocked socket*
- switched interlocked socket with fuse*
- special distribution boxes (on request)



Container plugs and sockets



Container Plug **SHARK**


- 32A 4p 3h 440V
- nickel-plated contacts

IP67 watertight



0242-3v

pack.unit: 10



Container Connector **SHARK**


- 32A 4p 3h 440V
- nickel-plated contacts

IP67 watertight

SHARK

2242-3v

pack.unit: 10




Container Wall socket

- 32A 4p 3h 440V
- nickel-plated contacts

IP67 watertight

1242-3v

pack.unit: 5



height=108mm
angle=15°




Container Flanged socket straight

- 32A 4p 3h 440V
- nickel-plated contacts
- flange = 75 x 75
- fixing center = 60 x 60

IP67 watertight

3242-3v

pack.unit: 10



Container Flanged socket sloping

- 32A 4p 3h 440V
- nickel-plated contacts
- flange = 80 x 97 mm
- fixing center = 60 x 73 mm

IP67 watertight

4242-3f78v

pack.unit: 10

