

# Rittal – The System.

Faster – better – everywhere.

## **Baying kit for AX, KX, AE, KL – SZ 1199.100**

Date : Apr 16, 2021

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP



# Baying kit for AX, KX, AE, KL – SZ 1199.100

created: 16.04.2021 build on [www.rittal.com/nz-en](http://www.rittal.com/nz-en)



## Product description

<b>Description:</b>	For baying AX/KX enclosures. The additional cut-outs are to be provided by the customer.
<b>Benefits:</b>	Special screws and nuts limit compression of the seal to a predefined level, to ensure a long-lasting, permanent seal between enclosures Special screws and nuts for fast, simple assembly without thread-tapping Seal, self-adhesive, comprised of bayable sealing elements and corner pieces, for individual adaptation to various enclosure sizes
<b>Protection category IP to IEC 60 529:</b>	IP 66
<b>Protection category NEMA:</b>	NEMA 4X
<b>Supply includes:</b>	Special screws and nuts Sealing elements, self-adhesive
<b>Note:</b>	1 pack is sufficient for a baying point up to H x D = 800 x 350 mm Baying is not supported on the hinged side of the KX E-box

## Product description

<b>To fit:</b>	Enclosure type: AX Enclosure type: KX Height: ≤ 800 mm Depth: ≤ 350 mm
<b>Packs of:</b>	1 pc(s).
<b>Weight/pack:</b>	0.22 kg

<b>Copper weight (kg per piece):</b>	0
<b>EAN:</b>	4028177602373
<b>Customs tariff number:</b>	39269097
<b>ETIM 7.0:</b>	EC002622
<b>ETIM 6.0:</b>	EC002622
<b>eCl@ss 8.0/8.1:</b>	27189263
<b>eCl@ss 6.0/6.1:</b>	27189234
<b>Product description:</b>	SZ Baying kit, for KL, AE, HD: 800x350 mm
<b>Approvals</b>	
<b>Certificates:</b>	NA Protection category